=>



chain nodes :
1 2 3 4 5 6 13 14
ring nodes :
7 8 9 10 11 12
chain bonds :
1-2 2-3 3-4 4-5 5-6 6-7 10-13 13-14
ring bonds :
7-8 7-12 8-9 9-10 10-11 11-12
exact bonds :
1-2 2-3 3-4 4-5 5-6 6-7 10-13 13-14
normalized bonds :
7-8 7-12 8-9 9-10 10-11 11-12

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom 12:Atom 13:CLASS 14:CLASS

L1 STRUCTURE UPLOADED

=> s l1 sss sam
SAMPLE SEARCH INITIATED 09:22:25 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 43 TO ITERATE

100.0% PROCESSED 43 ITERATIONS 3 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 467 TO 1253
PROJECTED ANSWERS: 3 TO 163

L2 3 SEA SSS SAM L1

=> d scan

=> s l1 sss full
FULL SEARCH INITIATED 09:22:59 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 765 TO ITERATE

100.0% PROCESSED 765 ITERATIONS 49 ANSWERS
SEARCH TIME: 00.00.01

L3 49 SEA SSS FUL L1

=> s l3
L4 15 L3

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 15 ANSWERS - CONTINUE? Y/(N):y

=>
=>





chain nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
1-2 2-3 3-4 4-5 5-6 6-7 7-8 8-9
exact/norm bonds :
6-7 7-8
exact bonds :
1-2 2-3 3-4 4-5 5-6 8-9

G1:Cb,Cy,Hy

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:Atom 8:CLASS 9:CLASS

L5 STRUCTURE UPLOADED

=> s l5 sss sam
SAMPLE SEARCH INITIATED 09:41:22 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 408 TO ITERATE

100.0% PROCESSED 408 ITERATIONS 4 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 6949 TO 9371
PROJECTED ANSWERS: 4 TO 200

L6 4 SEA SSS SAM L5

=> d scan

=> s l5 sss full
FULL SEARCH INITIATED 09:41:46 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 7813 TO ITERATE

```
100.0% PROCESSED     7813 ITERATIONS                          123 ANSWERS
SEARCH TIME: 00.00.01

L7          123 SEA SSS FUL L5

=> s l7
L8           39 L7

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 39 ANSWERS - CONTINUE? Y/(N):y

=>
```





```
chain nodes :
1 2 3 4 5 6 7 8 9 11 12
chain bonds :
1-2 1-12 2-3 3-4 4-5 5-6 6-7 7-8 8-9 9-11
exact/norm bonds :
6-7 7-8
exact bonds :
1-2 1-12 2-3 3-4 4-5 5-6 8-9 9-11


G1:Cb,Cy,Hy

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS 11:CLASS 12:CLASS



L1      STRUCTURE UPLOADED

=> s l1 sss sam
SAMPLE SEARCH INITIATED 10:27:34 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -       72 TO ITERATE

100.0% PROCESSED       72 ITERATIONS                             1 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE   **COMPLETE**
                        BATCH    **COMPLETE**
PROJECTED ITERATIONS:          931 TO     1949
PROJECTED ANSWERS:               1 TO       80

L2            1 SEA SSS SAM L1

=> s l1 sss full
FULL SEARCH INITIATED 10:27:46 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -     1651 TO ITERATE

100.0% PROCESSED     1651 ITERATIONS                          44 ANSWERS
SEARCH TIME: 00.00.01

L3           44 SEA SSS FUL L1

=> s l3
L4           11 L3

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 11 ANSWERS - CONTINUE? Y/(N):y

=>
```





```
chain nodes :
1 2 3 4 5 6 7 9
chain bonds :
1-2 1-9 2-3 3-4 4-5 5-6 6-7
exact/norm bonds :
1-9 4-5 5-6
exact bonds :
1-2 2-3 3-4 6-7


G1:Cb,Cy,Hy

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 9:CLASS



L1      STRUCTURE UPLOADED
```

```
=> s l1 sss sam
SAMPLE SEARCH INITIATED 12:55:09 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -      623 TO ITERATE

100.0% PROCESSED      623 ITERATIONS                              2 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:        10963 TO    13957
PROJECTED ANSWERS:               2 TO      124

L2            2 SEA SSS SAM L1

=> s l1 sss full
FULL SEARCH INITIATED 12:55:14 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -    11729 TO ITERATE

100.0% PROCESSED    11729 ITERATIONS                             53 ANSWERS
SEARCH TIME: 00.00.01

L3           53 SEA SSS FUL L1

=> s l3
L4          20 L3

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 20 ANSWERS - CONTINUE? Y/(N):y

=>
```





```
chain nodes :
2 3 4 5 6 7 8 9 10 11 12 13 14 15 20 24
chain bonds :
2-3 2-24 3-4 4-5 5-6 6-7 7-8 8-9 9-10 10-11 11-12 12-13 13-14 14-15 15-20
exact/norm bonds :
2-3 2-24 8-9 9-10 15-20
exact bonds :
3-4 4-5 5-6 6-7 7-8 10-11 11-12 12-13 13-14 14-15


G1:Cb,Cy,Hy

G2:C,H,O,N,Cl,Br,F,I

G3:C,H,Si,Cb,Cy,Hy

Match level :
2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 20:CLASS 24:CLASS



L5      STRUCTURE UPLOADED

=> s l5 sss full
FULL SEARCH INITIATED 13:07:29 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -    11729 TO ITERATE

100.0% PROCESSED    11729 ITERATIONS                            106 ANSWERS
SEARCH TIME: 00.00.01

L6          106 SEA SSS FUL L5

=> s l6
L7          32 L6

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 32 ANSWERS - CONTINUE? Y/(N):y

=>
```





```
chain nodes :
4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20
chain bonds :
4-5 5-6 6-7 7-8 8-9 9-10 10-11 11-12 12-13 13-14 14-15 15-16 16-17 17-18 18-19 19-20
exact/norm bonds :
4-5 5-6 11-12 12-13 18-19 19-20
exact bonds :
6-7 7-8 8-9 9-10 10-11 13-14 14-15 15-16 16-17 17-18
```

G1:Cb,Cy,Hy

G2:C,H,O,N,Cl,Br,F,I

G3:C,H,Si,Cb,Cy,Hy

Match level :
4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS

L8 STRUCTURE UPLOADED

=> s l8 sss full
FULL SEARCH INITIATED 13:20:23 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 11728 TO ITERATE

100.0% PROCESSED 11728 ITERATIONS 70 ANSWERS
SEARCH TIME: 00.00.01

L9 70 SEA SSS FUL L8

=> s l9
L10 22 L9

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 22 ANSWERS - CONTINUE? Y/(N):y

=>





chain nodes :
4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 26 27 28 29 30 31 32 33
chain bonds :
4-5 5-6 6-7 7-8 8-9 9-10 10-11 11-12 12-13 12-26 13-14 14-15 15-16 16-17 17-18 18-19 19-20 26-27 27-28 28-29 29-30 30-31 31-32 32-33
exact/norm bonds :
4-5 5-6 11-12 12-13 12-26 18-19 19-20 31-32 32-33
exact bonds :
6-7 7-8 8-9 9-10 10-11 13-14 14-15 15-16 16-17 17-18 26-27 27-28 28-29 29-30 30-31

G1:Cb,Cy,Hy

G2:C,H,O,N,Cl,Br,F,I

G3:C,H,Si,Cb,Cy,Hy

Match level :
4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS 26:CLASS 27:CLASS 28:CLASS 29:CLASS 30:CLASS 31:CLASS 32:CLASS 33:CLASS

L11 STRUCTURE UPLOADED

=> s l11 sss full
FULL SEARCH INITIATED 13:30:22 FILE 'REGISTRY'
SCREENING
SCREENING
FULL SCREEN SEARCH COMPLETED - 11407 TO ITERATE

100.0% PROCESSED 11407 ITERATIONS 2 ANSWERS
SEARCH TIME: 00.00.34

L12 2 SEA SSS FUL L11

=> s l12
L13 2 L12

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 2 ANSWERS - CONTINUE? Y/(N):y

=>

FILE 'HOME' ENTERED AT 15:53:37 ON 18 DEC 2009

=>





```
chain nodes :
4 5 6 7 8 9 10 11
chain bonds :
4-5 5-6 6-7 6-10 7-8 7-11 8-9
exact/norm bonds :
6-10 7-11
exact bonds :
4-5 5-6 6-7 7-8 8-9


G1:Cb,Cy,Hy

G2:C,H,O,N,Cl,Br,F,I

G3:C,H,Si,Cb,Cy,Hy

G4:H,Ak

Match level :
4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS



L1      STRUCTURE UPLOADED

=> s l1 sss full
FULL SEARCH INITIATED 15:54:41 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -     7813 TO ITERATE

100.0% PROCESSED     7813 ITERATIONS                         3088 ANSWERS
SEARCH TIME: 00.00.01

L2         3088 SEA SSS FUL L1

=> s l2
L3          814 L2

=> l3 and (electroluminescence or electroluminescent or luminescent or (light emitting) or OLED)
          26473 ELECTROLUMINESCENCE
             30 ELECTROLUMINESCENCES
          26478 ELECTROLUMINESCENCE
                (ELECTROLUMINESCENCE OR ELECTROLUMINESCENCES)
              5 ELECTROLUMINESCENSE
          26479 ELECTROLUMINESCENCE
                (ELECTROLUMINESCENCE OR ELECTROLUMINESCENSE)
          90044 ELECTROLUMINESCENT
              8 ELECTROLUMINESCENTS
          90047 ELECTROLUMINESCENT
                (ELECTROLUMINESCENT OR ELECTROLUMINESCENTS)
          65004 LUMINESCENT
             10 LUMINESCENTS
          65010 LUMINESCENT
                (LUMINESCENT OR LUMINESCENTS)
        1334311 LIGHT
          12618 LIGHTS
        1338549 LIGHT
                (LIGHT OR LIGHTS)
         140113 EMITTING
            219 EMITTINGS
         140157 EMITTING
                (EMITTING OR EMITTINGS)
          76113 LIGHT EMITTING
                (LIGHT(W)EMITTING)
           7493 OLED
           3722 OLEDS
           9385 OLED
                (OLED OR OLEDS)
L4            3 L3 AND (ELECTROLUMINESCENCE OR ELECTROLUMINESCENT OR LUMINESCENT
                OR (LIGHT EMITTING) OR OLED)

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 3 ANSWERS - CONTINUE? Y/(N):y

=> l3 and (electroluminescence or electroluminescent or luminescent or (light emitting) or OLED or (non linear optics) or NLO)
          26473 ELECTROLUMINESCENCE
             30 ELECTROLUMINESCENCES
          26478 ELECTROLUMINESCENCE
                (ELECTROLUMINESCENCE OR ELECTROLUMINESCENCES)
              5 ELECTROLUMINESCENSE
          26479 ELECTROLUMINESCENCE
                (ELECTROLUMINESCENCE OR ELECTROLUMINESCENSE)
          90044 ELECTROLUMINESCENT
              8 ELECTROLUMINESCENTS
          90047 ELECTROLUMINESCENT
                (ELECTROLUMINESCENT OR ELECTROLUMINESCENTS)
          65004 LUMINESCENT
             10 LUMINESCENTS
          65010 LUMINESCENT
                (LUMINESCENT OR LUMINESCENTS)
        1334311 LIGHT
          12618 LIGHTS
        1338549 LIGHT
                (LIGHT OR LIGHTS)
         140113 EMITTING
            219 EMITTINGS
         140157 EMITTING
                (EMITTING OR EMITTINGS)
          76113 LIGHT EMITTING
```

```
                (LIGHT(W)EMITTING)
          7493 OLED
          3722 OLEDS
          9385 OLED
                (OLED OR OLEDS)
       1110208 NON
            38 NONS
       1110237 NON
                (NON OR NONS)
        710357 LINEAR
            74 LINEARS
        710397 LINEAR
                (LINEAR OR LINEARS)
         53122 OPTICS
           311 NON LINEAR OPTICS
                (NON(W)LINEAR(W)OPTICS)
          7807 NLO
            19 NLOS
          7820 NLO
                (NLO OR NLOS)
L5           6 L3 AND (ELECTROLUMINESCENCE OR ELECTROLUMINESCENT OR LUMINESCENT
                OR (LIGHT EMITTING) OR OLED OR (NON LINEAR OPTICS) OR NLO)

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 6 ANSWERS - CONTINUE? Y/(N):y

=>



Connecting via Winsock to STN



Welcome to STN International!  Enter x:X

LOGINID:SSPTAAKB1794

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2


* * * * * * * * * *   Welcome to STN International   * * * * * * * * * * *

=>
```





```
chain nodes :
1 2 3 4 5 6 7 8 9 11
chain bonds :
1-2 1-11 2-3 3-4 4-5 5-6 6-7 7-8 8-9
exact/norm bonds :
1-11 6-7 7-8
exact bonds :
1-2 2-3 3-4 4-5 5-6 8-9


G1:Cb,Cy,Hy

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:Atom 8:CLASS 9:CLASS 11:Atom



L1      STRUCTURE UPLOADED

=> s l1 sss full
FULL SEARCH INITIATED 12:23:04 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -    12029 TO ITERATE

100.0% PROCESSED    12029 ITERATIONS                          106 ANSWERS
SEARCH TIME: 00.00.01

L2          106 SEA SSS FUL L1

=> s l2
L3           32 L2

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 32 ANSWERS - CONTINUE? Y/(N):y
```

L3 ANSWER 1 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2009:1099083 CAPLUS Full-text

Document Number
151:508432

Title
Hybrid Conjugated Organic Oligomers Consisting of Oligodiacetylene and Thiophene Units: Synthesis and Optical Properties

Author/Inventor
Pilzak, Gregor S.; van Gruijthuijsen, Kitty; van Doorn, Reindert H.; van Lagen, Barend; Sudhoelter, Ernst J. R.; Zuilhof, Han

Patent Assignee/Corporate Source
Laboratory of Organic Chemistry, Wageningen University, Dreijenplein 8, Wageningen, 6703 HB, Neth.

Source
Chemistry--A European Journal (2009), 15(36), 9085-9096, S9085/1-S9085/19 CODEN: CEUJED; ISSN: 0947-6539

Document Type
Journal

Language
English

Abstract

Novel and highly soluble hybrid conjugated organic oligomers consisting of oligodiacetylene and thiophene units have been synthesized in high purity through iterative and divergent approaches based on a sequence of Sonogashira reactions. The series of thiophene-containing oligodiacetylenes and homocoupled oligodiacetylenes show, both in solution and in the solid state, a strong optical absorption, which is progressively red shifted with increasing chain length. The linear correlation of the absorption maximum with the inverse of conjugation length (CL = number of double and triple bonds) shows that the effective conjugation length of this system is extended up to at least CL = 20. Furthermore, absorption measurements of dropcast thin films display not only a bathochromic shift of the absorption maxima but also a higher wavelength absorption, which is attributed to increased π-π interactions. The wavelength of the maximum fluorescence emission also increases with CL, and emission is maximal for oligomers with CL = 7-12 (fluorescence quantum yield ΦF = .apprx.0.2). Both longer and shorter oligomers display marginal emission. The calculated Stokes shifts of these planar materials are relatively large (0.4 eV) for all oligomers, and likely due to excitation to the S2 state, thus suggesting that the presence of enyne moieties dominates the ordering of the lowest excited states. The fluorescence lifetimes (τF) are short (τFmax = «1 ns) and closely follow the tendency obtained for the fluorescence quantum yield. The anisotropy lifetimes show a near-linear increase with CL in line with highly rigid oligomers.

Hit Structure

CAS Registry Number
1192820-79-3 CAPLUS

Chemical or Trade Name
Thiophene, 2,5-bis[(3E)-4-[2-(5-methyl-2-thienyl)ethynyl]-3-propyl-3-octen-1-yn-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



L3 ANSWER 2 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2009:76616 CAPLUS Full-text

Document Number
150:167710

Title
Push-pull hyperbranched molecules. A theoretical study

Author/Inventor
Ramos, Estrella; Guadarrama, Patricia; Teran, Gerardo; Fomine, Serguei

Patent Assignee/Corporate Source
Instituto de Investigaciones en Materiales, Universidad Nacional Autonoma de Mexico, Mexico, 04510, Mex.

Source
Journal of Physical Organic Chemistry (2009), 22(1), 9-16 CODEN: JPOCEE; ISSN: 0894-3230

Document Type
Journal

Language
English

Abstract
The electronic properties of the ground state, unrelaxed and relaxed first excited states of push-pull hyperbranched mols. bearing amino and nitro terminal groups have been studied at BB1K/cc-pvdz//HF/6-31g(d), TD-BB1K/cc-pvdz//HF/6-31g(d) and TD-BB1K/cc-pvdz//CIS/6-31g(d) levels of theory, resp. It was demonstrated that dendritic architecture of push-pull mols. favors the charge transfer in the excited state compared to linear mols. The possibility of adopting a plane conformation is an important condition for the charge transfer in an excited state. According to the calcns. 1:1 ratio of donor and acceptor groups is another important precondition for the manifestation of strong charge separation in the excited state. In case of excess of nitro groups over the amino, some of the excitations participating in the S0 → S1 transition favor the charge transfer in the excited state in the opposite directions, thus decreasing the charge separation

Hit Structure

CAS Registry Number
1107616-71-6 CAPLUS

Chemical or Trade Name
Benzenamine, 4,4'-[3-[[4-[5-[4-[4-(4-aminophenyl)-2-[2-(4-aminophenyl)ethynyl]-1-buten-3-yn-1-yl]phenyl]-3-[(4-nitrophenyl)methylene]-1,4-pentadiyn-1-yl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
1107616-72-7 CAPLUS

Chemical or Trade Name
Benzenamine, 4,4'-[3-[[4-[5-[4-[4-(4-aminophenyl)-2-[2-(4-aminophenyl)ethynyl]-1-buten-3-yn-1-yl]phenyl]-3-[[4-[4-[4-[4-(4-nitrophenyl)-2-[2-(4-nitrophenyl)ethynyl]-1-buten-3-yn-1-yl]phenyl]-2-[2-[4-[4-(4-nitrophenyl)-2-[2-(4-nitrophenyl)ethynyl]-1-buten-3-yn-1-yl]phenyl]ethynyl]-1-buten-3-yn-1-yl]phenyl]methylene]-1,4-pentadiyn-1-yl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
1107616-73-8 CAPLUS

Chemical or Trade Name
Benzenamine, 4-[4-[4-[4-(4-nitrophenyl)-2-[2-(4-nitrophenyl)ethynyl]-1-buten-3-yn-1-yl]phenyl]-2-[2-[4-[4-(4-nitrophenyl)-2-[2-(4-nitrophenyl)ethynyl]-1-buten-3-yn-1-yl]phenyl]ethynyl]-1-buten-3-yn-1-yl]-
(CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
1107616-76-1 CAPLUS

Chemical or Trade Name
Benzenamine, 4-[4-[4-[4-[4-[4-[4-(4-nitrophenyl)-1-buten-3-yn-1-yl]phenyl]-1-buten-3-yn-1-yl]phenyl]-3-buten-1-yn-1-yl]phenyl]-3-buten-1-yn-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



L3 ANSWER 3 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
2008:355050 CAPLUS Full-text
Document Number
148:520471
Title
Tetrafullerene Conjugates for All-Organic Photovoltaics
Author/Inventor
Fernandez, Gustavo; Sanchez, Luis; Veldman, Dirk; Wienk, Martijn M.; Atienza, Carmen; Guldi, Dirk M.; Janssen, Rene A. J.; Martin, Nazario
Patent Assignee/Corporate Source
Departamento de Quimica Organica, Facultad de Ciencias Quimicas, Universidad Complutense de Madrid, Madrid, 28040, Spain
Source

Journal of Organic Chemistry (2008), 73(8), 3189-3196 CODEN: JOCEAH; ISSN: 0022-3263

Document Type
Journal

Language
English

Abstract
The synthesis of two new tetrafullerene nanoconjugates in which four C60 units are covalently connected through different π-conjugated oligomers (oligo(p-phenylene ethynylene) and oligo(p-phenylene vinylene)) is described. The photovoltaic response of these C60-based conjugates was evaluated by using them as the only active material in organic solar cells, showing a low photovoltaic performance. Photophys. studies in solution demonstrated a very fast (.apprx.10 ps) deactivation of the singlet excited state of the central core unit to produce both charge-separated species (i.e., C60•--oligomer+•-(C60)3 and C60 centered singlet excited states). The charge-separated state recombines partly to the C60 centered singlet state that undergoes subsequent intersystem crossing. Photophys. studies carried out in films support these data, exhibiting long-lived triplet excited states. For both tetrafullerene arrays, the low yield of long-lived charge carriers in thin films accounts for the limited photovoltaic response. On the contrary, utilizing the oligo(p-phenylene vinylene) centered precursor aldehyde as an electron donor and antennae unit and mixing with the well-known C60 derivative PCBM, the photophys. studies in films show the formation of long-lived charges. The photovoltaic devices constructed from these mixts. showed a relatively high photocurrent of 2 mA/cm2. The sharp contrast between the nanoconjugates and the phys. blends tentatively was attributed to improved charge dissociation and the collection of more favorable energy levels in the blends as a result of partial aggregation of both of the components.

Hit Structure

CAS Registry Number
1022991-37-2 CAPLUS

Chemical or Trade Name
2-Thiophenecarboxaldehyde, 5,5'-[[2,5-bis(hexyloxy)-1,4-phenylene]bis[2,1-ethynediyl-4,1-phenylene[3-[2-(5-formyl-2-thienyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 16 THERE ARE 16 CAPLUS RECORDS THAT CITE THIS RECORD (16 CITINGS)

L3 ANSWER 4 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2008:244421 CAPLUS Full-text

Document Number
148:403337

Title
Triphenylphosphine Incorporation Reactions of Diynyl Complexes Containing a TpRu(NO) Fragment and Isomerization to Ruthenacyclobuta[b]naphthalene

Author/Inventor
Arikawa, Yasuhiro; Asayama, Taiki; Tanaka, Chie; Tashita, Shin-ya; Tsuji, Misako; Ikeda, Kenta; Umakoshi, Keisuke; Onishi, Masayoshi

Patent Assignee/Corporate Source
Department of Applied Chemistry, Faculty of Engineering, Nagasaki University, Nagasaki, 852-8521, Japan

Source
Organometallics (2008), 27(6), 1227-1233 CODEN: ORGND7; ISSN: 0276-7333

Document Type
Journal

Language
English

Abstract
Nitrosylruthenium arylbutadiynyl complexes having a Tp ligand (Tp = BH(pyrazol-1-yl)3) were prepared, and their reactivities toward PPh3 incorporation in the presence of HBF4·Et2O were described. The PPh3 incorporation of mono(arylbutadiynyl) complex TpRuCl(C.tplbond.C-C.tplbond.C-C6H4Me)(NO) (1) resulted in the β-phosphonioalkenyl complex (E)-[TpRuCl(CH:C(PPh3)-C.tplbond.C- C6H4Me)(NO)]BF4 (2·BF4), whereas when bis(arylbutadiynyl) TpRu(C.tplbond.C-C.tplbond.C-C6H4Me)2(NO) (3) was treated, mono- and bis(β-phosphonioalkenyl) complexes (E)-[TpRu(C.tplbond.C-C.tplbond.C-C6H4Me)(CH:C(PPh3)-C.tplbond.C- C6H4Me)(NO)]BF4 (4·BF4) and (E,E)-[TpRu(CH:C(PPh3)-C.tplbond.C-C6H4Me)2(NO)](BF4)2 {5·(BF4)2} were obtained depending on the reaction conditions. On the other hand, an unsym. mixed (arylbutadiynyl)(3-hydroxyalkynyl) complex, TpRu(C.tplbond.C-C.tplbond.C-C6H4Me){C.tplbond.CCPh2(OH)}(NO) (6), was allowed to react with PPh3 in the presence of the protic acid to give the α-phosphonioallenyl [TpRu(C.tplbond.C-C.tplbond.C- C6H4Me){C(PPh3):C:CPh2}(NO)]BF4 (7·BF4). Interestingly, thermal isomerization of 7·BF4 to a ruthena-2-PPh3-cyclobuta[b]naphthalene [TpRu{CH(PPh3)[3-Ph-8-(MeC6H4-C.tplbond.C)-C10H4]}(NO)]BF4 (8·BF4) was observed

Hit Structure

CAS Registry Number
1015477-27-6 CAPLUS

Chemical or Trade Name
Ruthenium(1+), [hydrotris(1H-pyrazolato-κN1)borato(1-)-κN2,κN2',κN2'']bis[4-(4-methylphenyl)-1,3-butadiyn-1-

yl][(1E)-4-(4-methylphenyl)-2-(triphenylphosphonio)-1-buten-3-yn-1-yl]nitrosyl-, (OC-6-24)-, tetrafluoroborate(1-) (1:1) (CA INDEX NAME)

CM
1

CRN 1015477-26-5
CMF C49 H40 B N7 O P Ru
CCI CCS



CM
2

CRN 14874-70-5
CMF B F4
CCI CCS



OS.CITING REF COUNT: 6 THERE ARE 6 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS)

L3 ANSWER 5 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2007:1105260 CAPLUS Full-text

Document Number
148:11306

Title
Formation and Structural and Dynamic Features of Atropisomeric η2-Iminoacyl Zirconium Complexes

Author/Inventor
Spies, Patrick; Kehr, Gerald; Kehr, Seda; Froehlich, Roland; Erker, Gerhard

Patent Assignee/Corporate Source
Organisch-Chemisches Institut, Universitaet Muenster, Muenster, 48149, Germany

Source
Organometallics (2007), 26(23), 5612-5620 CODEN: ORGND7; ISSN: 0276-7333

Document Type
Journal

Language
English

Abstract
The Cp2ZrCl[CPh:C(PX2)C.tplbond.CPh] complexes 7a (X = Ph) and 10 (X = C6F5) insert tert-butylisonitrile into the Zr-C(sp2) σ bond to yield the iminoacyl zirconocene complexes, Cp2ZrCl[C(:NCMe3)CPh:C(PX2)C.tplbond.CPh] 13a and 13b. X-ray crystal structure anal. of complexes 13a and 13b revealed a chiral atropisomeric structure with a torsion angle of 74.8(2)° (13a) and 72.9(6)° (13b), resp., around the central iminoacyl/alkenyl C(sp2)-C(sp2) σ bond. In solution an analogous chiral structure is observed The barrier of interconversion of the enantiomeric atropisomers of 13a and 13b was determined at ΔG.thermod. (327K) = 14.9 ± 0.3 kcal mol-1 (13a) and ΔG.thermod. (325K) = 14.8 ± 0.3 kcal mol-1 (13b) by temperature-dependent dynamic NMR spectroscopy. Reaction of 7a and 10 with methyllithium followed by treatment with B(C6F5)3 gave the corresponding cationic zirconocene complexes Cp2Zr+(THF)[CPh:C(PX2)C.tplbond.CPh] [MeB-(C6F5)3] 12a and 12b. These complexes took up 2 mol equiv of tert-butylisonitrile to yield the cationic N-inside η2-iminoacyl zirconocene systems 14a and 14b as isonitrile adducts. The cationic complexes 14a and 14b are also axially chiral. The barriers of enantiomerization (ΔG.thermod. (288 K) = 13.1 ± 0.3 kcal mol-1 (14a), ΔG.thermod. (293 K) = 13.4 ± 0.3 kcal mol-1 (14b)) were also determined by dynamic NMR spectroscopy.

Hit Structure

CAS Registry Number
958635-66-0 CAPLUS

Chemical or Trade Name
Zirconium, bis(η5-2,4-cyclopentadien-1-yl)[(1E)-2-(diphenylphosphino)-1,4-diphenyl-1-buten-3-yn-1-yl]-1-propyn-1-yl- (CA INDEX NAME)



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

L3 ANSWER 6 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2007:995140 CAPLUS Full-text

Document Number
147:448227

Title
Convenient synthesis of (1-propynyl)arenes through a one-pot double elimination reaction, and their conversion to enynes

Author/Inventor
An, De-Lie; Zhang, Zhiyang; Orita, Akihiro; Mineyama, Hidetaka; Otera, Junzo

Patent Assignee/Corporate Source
Department of Chemistry, College of Chemistry and Chemical Engineering, Hunan University, Changsha, 410082, Peop. Rep. China

Source
Synlett (2007), (12), 1909-1912 CODEN: SYNLES; ISSN: 0936-5214

Document Type
Journal

Language
English

Abstract
A series of prop-1-ynyl arenes were prepared by one-pot double elimination reaction of EtSO2Ph, aromatic aldehyde, and ClPO(OEt)2 in THF with a base such as BuLi and tBuOK. A propargyllithium, which was prepared by treatment of propyn-1-yl arene with BuLi in the presence of 1,3-dimethyl-3,4,5,6-tetrahydro-2(1H)-pyrimidinone (DMPU), reacted with aromatic aldehyde, ClPO(OEt)2 and t-BuOK to afford 4-arylbut-3-en-1-ynyl arene. Photoluminescence of the enynes thus prepared was recorded both in solution and in the solid state.

Hit Structure

CAS Registry Number
951766-78-2 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1E)-1-buten-3-yne-1,4-diylbis[4-(2-phenylethynyl)- (CA INDEX NAME)



OS.CITING REF COUNT: 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (4 CITINGS)

L3 ANSWER 7 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2007:46877 CAPLUS Full-text

Document Number
148:284829

Title
Synthesis of smallest unit model of graphite intercalation compound and its possibility

Author/Inventor
Ogoshi, Sensuke

Patent Assignee/Corporate Source
Department of Applied Chemistry, Faculty of Engineering, Osaka University, Japan

Source
Asahi Garasu Zaidan Josei Kenkyu Seika Hokoku (2006) 01.03.07/1-01.03.07/8 CODEN: AGSHEN; ISSN: 0919-9179

Document Type
Journal; (computer optical disk)

Language
Japanese

Abstract
Graphite is perhaps the simplest layered structure. Many substances can be intercalated between layers of graphite. Upon intercalation, the graphite layers moved apart somewhat due to the intercalated atom. However, the layers still keep parallel each other which would be the key for the formation of intercalation compds. Thus, compds. having two aromatic rings, which can change the distance between the rings and keep parallel to each other, were designed and synthesized. The target compound was 1,8-bis[6-(1-naphthalenyl)-3-hexene-1,5-diynyl]anthracene.

Hit Structure

CAS Registry Number
1007602-95-0 CAPLUS

Chemical or Trade Name
Anthracene, 1,8-bis[(3E)-6-(1-naphthalenyl)-3-hexene-1,5-diyn-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



L3 ANSWER 8 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2006:82014 CAPLUS Full-text

Document Number
144:334159

Title
Light harvesting tetrafullerene nanoarray for organic solar cells

Author/Inventor
Atienza, Carmen M.; Fernandez, Gustavo; Sanchez, Luis; Martin, Nazario; Dantas, Ines Sa; Wienk, Martijn M.; Janssen, Rene A. J.; Rahman, G. M. Aminur; Guldi, Dirk M.

Patent Assignee/Corporate Source
Departamento de Quimica Organica, Facultad de Ciencias Quimicas, Universidad Complutense, Madrid, E-28040, Spain

Source
Chemical Communications (Cambridge, United Kingdom) (2006), (5), 514-516 CODEN: CHCOFS; ISSN: 1359-7345

Document Type
Journal

Language
English

Abstract
A light absorbing π-conjugated oligomer-tetrafullerene nanoarray was synthesized and its photophys. study reveals an intramol. energy transfer. A photovoltaic device fabricated from this nanoarray and poly(3-hexylthiophene) shows an external quantum efficiency of 15% at 500 nm.

Hit Structure

CAS Registry Number
880486-74-8 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[2,5-bis(hexyloxy)-1,4-phenylene]bis[2,1-ethynediyl-4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 20 THERE ARE 20 CAPLUS RECORDS THAT CITE THIS RECORD (20 CITINGS)

. L3 ANSWER 9 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2005:1004691 CAPLUS Full-text

Document Number
143:306181

Title
Process for preparation of π-conjugated aromatic ring-containing acetylene derivatives as organic electroluminescent devices

Author/Inventor
Sato, Fumie; Takayama, Yuuki

Patent Assignee/Corporate Source
Nissan Chemical Industries, Ltd., Japan

Source
PCT Int. Appl., 82 pp. CODEN: PIXXD2

Document Type
Patent

Language
Japanese

Patent Information

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005085176	A1	20050915	WO 2005-JP3950	20050308
US 20070176164	A1	20070802	US 2007-591950	20070307

Abstract

This invention pertains to a method for producing π-conjugated aromatic ring-containing acetylene derivs. via coupling reaction in the presence of palladium and Cu(I) catalysts. For example, the compound I was prepared in a multi-step synthesis in good yield. The title compds. are useful as electroluminescent devices.

Hit Structure

CAS Registry Number
740810-64-4 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-[6-[2-[tris(1-methylethyl)silyl]ethynyl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-65-5 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-[6-[2-[tris(1-methylethyl)silyl]ethynyl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-67-7 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[5-[(3E)-3-propyl-4-[[5-[[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]-2-thienyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-68-8 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[5-[(3E)-3-propyl-4-[[5-[(3E)-3-propyl-4-[[5-[[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]-2-thienyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864683-96-5 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[5-[(3E)-5-ethyl-4-[2-(5-ethynyl-2-thienyl)ethynyl]-3-propyl-3-penten-1-yn-1-yl]-2-thienyl]-2-methyl- (CA INDEX NAME)



CAS Registry Number
864683-97-6 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[5-[(3E)-4-[2-[5-[(3E)-4-[2-(5-ethynyl-2-thienyl)ethynyl]-3-propyl-3-hepten-1-yn-1-yl]-2-thienyl]ethynyl]-3-propyl-3-hepten-1-yn-1-yl]-2-thienyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864684-01-5 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-(6-ethynyl-3-pyridinyl)ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)



CAS Registry Number
864684-02-6 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-(6-ethynyl-3-pyridinyl)ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number

864684-11-7 CAPLUS

Chemical or Trade Name
Pyridine, 2-[(1E)-4-(6-hexyl-3-pyridinyl)-1-buten-3-yn-1-yl]-5-[2-(trimethylsilyl)ethynyl]- (CA INDEX NAME)



CAS Registry Number
864684-12-8 CAPLUS

Chemical or Trade Name
Pyridine, 5-ethynyl-2-[(1E)-4-(6-hexyl-3-pyridinyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
864684-13-9 CAPLUS

Chemical or Trade Name
Pyridine, 2-[(1E)-4-(6-hexyl-3-pyridinyl)-1-buten-3-yn-1-yl]-5-[(3E)-4-[5-[2-(trimethylsilyl)ethynyl]-2-pyridinyl]-3-buten-1-yn-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864684-15-1 CAPLUS

Chemical or Trade Name
Pyridine, 5-ethynyl-2-[(1E)-4-[6-[(1E)-4-(6-hexyl-3-pyridinyl)-1-buten-3-yn-1-yl]-3-pyridinyl]-1-buten-3-yn-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864684-18-4 CAPLUS

Chemical or Trade Name
Pyridine, 2-[(1E)-4-(3-pyridinyl)-1-buten-3-yn-1-yl]-5-[2-(trimethylsilyl)ethynyl]- (CA INDEX NAME)



CAS Registry Number
864684-19-5 CAPLUS

Chemical or Trade Name
Pyridine, 5-ethynyl-2-[(1E)-4-(3-pyridinyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
864684-31-1 CAPLUS

Chemical or Trade Name
Benzenamine, N-[4-[(3E)-3,4-dipropyl-6-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diyn-1-yl]phenyl]-4-[(3E)-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]-N-[4-[(3E)-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864684-32-2 CAPLUS

Chemical or Trade Name
Benzenamine, N-[4-[(3E)-5-ethyl-4-[2-(4-ethynylphenyl)ethynyl]-3-propyl-3-penten-1-yn-1-yl]phenyl]-4-[(3E)-4-[2-(4-ethynylphenyl)ethynyl]-3-propyl-3-hepten-1-yn-1-yl]-N-[4-[(3E)-4-[2-(4-ethynylphenyl)ethynyl]-3-propyl-3-hepten-1-yn-1-yl]phenyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-66-6 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-[6-[2-[tris(1-methylethyl)silyl]ethynyl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C

CAS Registry Number
740810-69-9 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[5-[(3E)-4-[2-[5-[(3E)-5-ethyl-4-[2-[5-[(3E)-5-ethyl-3-propyl-4-[2-[5-[2-[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-penten-1-yn-1-yl]-2-thienyl]ethynyl]-3-propyl-3-penten-1-yn-1-yl]-2-thienyl]ethynyl]-3-propyl-3-hepten-1-yn-1-yl]-2-thienyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C

CAS Registry Number
864684-03-7 CAPLUS

Chemical or Trade Name
2-Thiophenecarbonitrile, 5-[2-[5-[(3E)-5-ethyl-4-[2-[5-(3-hydroxy-3-methyl-1-butyn-1-yl)-2-thienyl]ethynyl]-3-propyl-3-penten-1-yn-1-yl]-2-thienyl]ethynyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864684-06-0 CAPLUS

Chemical or Trade Name
2,1,3-Benzothiadiazole, 4-[(3E)-3,4-dipropyl-6-[5-[2-[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]-3-hexene-1,5-diyn-1-yl]-7-[(3E)-3-propyl-4-[2-[5-[2-[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
864684-09-3 CAPLUS

Chemical or Trade Name
Thieno[3,4-b]pyrazine, 5-[(3E)-3,4-dipropyl-6-(2-thienyl)-3-hexene-1,5-diyn-1-yl]-2,3-diphenyl-7-[(3E)-3-propyl-4-[2-(2-thienyl)ethynyl]-3-hepten-1-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
864684-16-2 CAPLUS

Chemical or Trade Name
Pyridine, 2-[(1E)-4-[6-[(1E)-4-[6-[(1E)-4-(6-hexyl-3-pyridinyl)-1-buten-3-yn-1-yl]-3-pyridinyl]-1-buten-3-yn-1-yl]-3-pyridinyl]-1-buten-3-yn-1-yl]-5-[2-(trimethylsilyl)ethynyl]- (CA INDEX NAME)





CAS Registry Number
864684-17-3 CAPLUS

Chemical or Trade Name
3-Pyridinecarbonitrile, 6-[2-[6-[(1E)-4-(6-hexyl-3-pyridinyl)-1-buten-3-yn-1-yl]-3-pyridinyl]ethynyl]- (CA INDEX NAME)



CAS Registry Number
864684-20-8 CAPLUS

Chemical or Trade Name
Pyridine, 5-[2-(5-propoxy-2-pyridinyl)ethynyl]-2-[(1E)-4-(3-pyridinyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
864684-21-9 CAPLUS

Chemical or Trade Name
Thiophene, 2-[(3E)-3,4-dipropyl-6-[4-[(3E)-3-propyl-4-[2-[5-[2-[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]-3-hexene-1,5-diyn-1-yl]-5-[2-[tris(1-methylethyl)silyl]ethynyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864684-22-0 CAPLUS

Chemical or Trade Name
Benzene, 1-[(3E)-3,4-dipropyl-6-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diyn-1-yl]-4-[(3E)-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864684-23-1 CAPLUS

Chemical or Trade Name
Thiophene, 2-[(3E)-3,4-dipropyl-6-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diyn-1-yl]-5-[(3E)-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864684-24-2 CAPLUS

Chemical or Trade Name
Silane, [oxybis[4,1-phenylene[(3E)-3,4-dipropyl-3-hexene-1,5-diyne-6,1-diyl]-4,1-phenylene-2,1-ethynediyl]]bis[tris(1-methylethyl)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864684-25-3 CAPLUS

Chemical or Trade Name
2,2'-Bithiophene, 5-[(3E)-3,4-dipropyl-6-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diyn-1-yl]-5'-[(3E)-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864684-26-4 CAPLUS

Chemical or Trade Name
Naphthalene, 2-[(3E)-3,4-dipropyl-6-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diyn-1-yl]-6-[(3E)-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]- (CA INDEX NAME)

PAGE 1-A





CAS Registry Number
864684-27-5 CAPLUS

Chemical or Trade Name
Anthracene, 9-[(3E)-3,4-dipropyl-6-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diyn-1-yl]-10-[(3E)-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
864684-28-6 CAPLUS

Chemical or Trade Name
2,1,3-Benzothiadiazole, 4-[(3E)-3,4-dipropyl-6-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diyn-1-yl]-7-[(3E)-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
864684-29-7 CAPLUS

Chemical or Trade Name
Pyridazine, 3-[(3E)-3,4-dipropyl-6-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diyn-1-yl]-6-[(3E)-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864684-30-0 CAPLUS

Chemical or Trade Name
Benzene, 1-[(3E)-3,4-dipropyl-6-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diyn-1-yl]-3-[(3E)-5-ethyl-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-penten-1-yn-1-yl]-5-[(3E)-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
864684-33-3 CAPLUS

Chemical or Trade Name
Benzenamine, N-[4-[(3E)-5-ethyl-4-[2-[4-[2-(4-methoxyphenyl)ethynyl]phenyl]ethynyl]-3-propyl-3-penten-1-yn-1-yl]phenyl]-4-[(3E)-4-[2-[4-[2-(4-methoxyphenyl)ethynyl]phenyl]ethynyl]-3-propyl-3-hepten-1-yn-1-yl]-N-[4-[(3E)-4-[2-[4-[2-(4-methoxyphenyl)ethynyl]phenyl]ethynyl]-3-propyl-3-hepten-1-yn-1-yl]phenyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



L3 ANSWER 10 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2005:354187 CAPLUS Full-text

Document Number
143:333

Title
Cytotoxicities, cell cycle and caspase evaluations of 1,6-diaryl-3(Z)-hexen-1,5-diynes, 2-(6-aryl-3(Z)-hexen-1,5-diynyl)anilines and their derivatives

Author/Inventor
Lin, Chi-Fong; Lo, Yu-Hsiang; Hsieh, Ming-Chu; Chen, Yi-Hua; Wang, Jeh-Jeng; Wu, Ming-Jung

Patent Assignee/Corporate Source
School of Chemistry, Kaohsiung Medical University, Kaohsiung, Taiwan

Source
Bioorganic & Medicinal Chemistry (2005), 13(10), 3565-3575 CODEN: BMECEP; ISSN: 0968-0896

Document Type
Journal

Language
English

Abstract
A series of compds. showed growth inhibition effects on a full panel of 60 human cancer cell lines, and most of the average IC50 values of the indicated analogs were from <0.01 to 96.6 μM, in which a 2-thienyl analog and the thioanisole analog revealed the highest cytotoxic activity with the cancer cell lines at 10-7M concentration range. During the cell cycle anal., a moderate to high apoptotic progress induction was shown by several compared with the control, which 2-(6-(2-thienyl)-3(Z)-hexen-1,5-diynyl)aniline (I) showed the highest apoptotic effect. I and the thioanisole analog displayed a significant G2/M phase arrest in the cell growth cycle compared with other derivs., which the proportions of the G2/M phase cells were accumulated to 71.5% and 82.6%, resp. Moreover, the colorimetric assay of the I and the thioanisole analog also provided advanced evidence to the relationship between the compds. and the caspase-3 enzyme, which was one of the major promoters of apoptotic effect.

Hit Structure

CAS Registry Number
852619-13-7 CAPLUS

Chemical or Trade Name
Benzenamine, 2,2'-[1,4-phenylenedi-(3Z)-3-hexene-1,5-diyne-6,1-diyl]bis-
(9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 16 THERE ARE 16 CAPLUS RECORDS THAT CITE THIS RECORD (16 CITINGS)

L3 ANSWER 11 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:832644 CAPLUS Full-text

Document Number
142:38113

Title
Site-Selective Monotitanation of Dialkynylpyridines and Its Application for Preparation of Highly Fluorescent π-Conjugated Oligomers

Author/Inventor
Takayama, Yuuki; Hanazawa, Takeshi; Andou, Tomohiro; Muraoka, Kenji; Ohtani, Hiroyuki; Takahashi, Mizuki; Sato, Fumie

Patent Assignee/Corporate Source
Department of Biomolecular Engineering, Tokyo Institute of Technology, Midori-ku, Yokohama, Kanagawa, 226-8501, Japan

Source
Organic Letters (2004), 6(23), 4253-4256 CODEN: ORLEF7; ISSN: 1523-7060

Document Type
Journal

Language
English

Abstract
Reaction of Ti(O-i-Pr)4/2i-PrMgCl reagent with 2,n-bis[(trimethylsilyl)ethynyl]pyridines, where n is 3, 4, 5, and 6, or with 3,4-bis[(trimethylsilyl)ethynyl]pyridines, proceeded with excellent site-selectivity to afford the corresponding monotitanated complex. Synthetic application of the reaction was demonstrated by an efficient preparation of π-conjugated oligomers having pyridine and enyne units alternately, which possess intense blue fluorescence emission. Thus, reaction of 2,3-bis[(trimethylsilyl)ethynyl]pyridine with Ti(O-i-Pr)4/2i-PrMgCl reagent in Et2O gave 84% (Z)-2-[2-(trimethylsilyl)ethenyl]-3-[(trimethylsilyl)ethynyl]pyridine.

Hit Structure

CAS Registry Number
805240-17-9 CAPLUS

Chemical or Trade Name
Pyridine, 2-[(1E)-4-[6-(1E)-1-tetradecen-3-yn-1-yl-3-pyridinyl]-1-buten-3-yn-1-yl]-5-[2-(trimethylsilyl)ethynyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
805240-18-0 CAPLUS

Chemical or Trade Name
Pyridine, 2-[(1E)-4-[6-[(1E)-4-[6-(1E)-1-tetradecen-3-yn-1-yl-3-pyridinyl]-1-buten-3-yn-1-yl]-3-pyridinyl]-1-buten-3-yn-1-yl]-5-[2-(trimethylsilyl)ethynyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
805240-19-1 CAPLUS

Chemical or Trade Name
Pyridine, 2-[(1E)-4-[6-[(1E)-4-[6-[(1E)-4-[6-(1E)-1-tetradecen-3-yn-1-yl-3-pyridinyl]-1-buten-3-yn-1-yl]-3-pyridinyl]-1-buten-3-yn-1-yl]-3-pyridinyl]-1-buten-3-yn-1-yl]-5-[2-(trimethylsilyl)ethynyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 3 THERE ARE 3 CAPLUS RECORDS THAT CITE THIS RECORD (3 CITINGS)

L3 ANSWER 12 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:566840 CAPLUS Full-text

Document Number
141:261152

Title
π-Conjugated Dendrimers Based on Bis(enediynyl)benzene Units

Author/Inventor
Hwang, Gil Tae; Kim, Byeang Hyean

Patent Assignee/Corporate Source
National Research Laboratory, Department of Chemistry, Division of Molecular and Life Sciences, Pohang University of Science and Technology, Pohang, 790-784, S. Korea

Source
Organic Letters (2004), 6(16), 2669-2672 CODEN: ORLEF7; ISSN: 1523-7060

Document Type
Journal

Language
English

Abstract
We have synthesized a new family of π-conjugated dendrimers that are based on bis(enediynyl)benzene units by using both divergent and convergent approaches. The compds. at all three generations have strong bluish-green fluorescence, especially the third-generation dendrimer, which has the highest extinction coefficient and quantum efficiency in this series.

Hit Structure

CAS Registry Number
754233-16-4 CAPLUS

Chemical or Trade Name
Benzene, 1,4-bis[4-[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]-2-[[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
754233-18-6 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[4-[4-[4-(4-formylphenyl)-2-[(4-formylphenyl)ethynyl]-1-buten-3-ynyl]phenyl]-2-[[4-[4-(4-formylphenyl)-2-[(4-formylphenyl)ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-1-buten-3-ynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-75-1 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis- (CA INDEX NAME)



OS.CITING REF COUNT: 17 THERE ARE 17 CAPLUS RECORDS THAT CITE THIS RECORD (17 CITINGS)

. L3 ANSWER 13 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:480115 CAPLUS Full-text

Document Number
141:190674

Title
Synthesis of Conjugated Oligomers Having Aromatic and Enediyne Units Alternately in the Backbone that Show Intense Fluorescence Emission

Author/Inventor
Nakano, Yuuki; Ishizuka, Kenichi; Muraoka, Kenji; Ohtani, Hiroyuki; Takayama, Yuuki; Sato, Fumie

Patent Assignee/Corporate Source
Department of Biomolecular Engineering, Tokyo Institute of Technology, Midori, Yokohama, Kanagawa, 226-8501, Japan

Source
Organic Letters (2004), 6(14), 2373-2376 CODEN: ORLEF7; ISSN: 1523-7060

Document Type
Journal

Language
English

Abstract
Synthesis and fluorescence properties of π-conjugated compds. I (n = 1 - 3; X = 1,4-phenylene, 2,5-pyridine, 2,5-thiophene; R = n-Pr, n-Bu) having alternately an aromatic or heteroarom. ring and an enediyne unit in the backbone are described.

Hit Structure

CAS Registry Number
740810-61-1 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[4-[(3E)-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-62-2 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[4-[(3E)-3-propyl-4-[[4-[(3E)-3-propyl-4-[[4-[[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-64-4 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-[6-[2-[tris(1-methylethyl)silyl]ethynyl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-65-5 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-[6-[2-[tris(1-methylethyl)silyl]ethynyl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number

740810-67-7 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[5-[(3E)-3-propyl-4-[[5-[[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]-2-thienyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-68-8 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[5-[(3E)-3-propyl-4-[[5-[(3E)-3-propyl-4-[[5-[[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]-2-thienyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-63-3 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[4-[(3E)-3-propyl-4-[[4-[(3E)-3-propyl-4-[[4-[(3E)-3-propyl-4-[[4-[[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C

CAS Registry Number
740810-66-6 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-[6-[2-[tris(1-methylethyl)silyl]ethynyl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C

CAS Registry Number
740810-69-9 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[5-[(3E)-4-[2-[5-[(3E)-5-ethyl-4-[2-[5-[(3E)-5-ethyl-3-propyl-4-[2-[5-[2-[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-penten-1-yn-1-yl]-2-thienyl]ethynyl]-3-propyl-3-penten-1-yn-1-yl]-2-thienyl]ethynyl]-3-propyl-3-hepten-1-yn-1-yl]-2-thienyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C

OS.CITING REF COUNT: 23 THERE ARE 23 CAPLUS RECORDS THAT CITE THIS RECORD (24 CITINGS)

L3 ANSWER 14 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:382959 CAPLUS Full-text

Document Number
141:88772

Title
Electrochemical and theoretical study of a family of fully conjugated dendritic oligomers

Author/Inventor
Osorio, Gabriela; Frontana, Carlos; Guadarrama, Patricia; Frontana-Uribe, Bernardo A.

Patent Assignee/Corporate Source
Instituto de Quimica, UNAM, Circuito Exterior Ciudad Universitaria, Mexico, 04510, Mex.

Source
Journal of Physical Organic Chemistry (2004), 17(5), 439-447 CODEN: JPOCEE; ISSN: 0894-3230

Document Type
Journal

Language
English

Abstract
Novel dendritic oligomers of β,β-dibromo-4-ethynylstyrene and formyl-4-ethynylstyrene were electrochem. and theor. studied to gain a better insight into their redox behavior. Correlations between calculated ionization and exptl. oxidation potentials (anodic peak potentials) were established. The best correlation was obtained when two important effects are considered in the theor. calcns., probing their strong influence: (a) structural re-accommodation in the formed radical cation and (b) solvation effects. The effect of dendritic terminal groups (dibromovinyl and formyl groups) was also analyzed. A different redox behavior was observed for these two terminal groups, presumably due to a difference in their oxidation mechanisms. A global chemical transformation for the oxidation of dibromovinyl-terminated oligomers was proposed, providing a satisfactory explanation of the electrochem. behavior within this family of (presence of adsorptive phenomena). Taking these results into account, it is possible to explain how the cation-radical species formed in these conjugated dendritic oligomers behave when cyclic voltammetry technique is applied.

Hit Structure

CAS Registry Number
716327-89-8 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl-, radical ion(1+) (9CI) (CA INDEX NAME)



CAS Registry Number
716327-90-1 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1,3-butadiyne-1,4-diyl)bis[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]-, radical ion(1+) (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
716327-91-2 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis-, radical ion(1+) (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-72-8 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl-(9CI) (CA INDEX NAME)



CAS Registry Number
206181-74-0 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1,3-butadiyne-1,4-diyl)bis[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-76-2 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
717144-23-5 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl-, radical ion(1-) (9CI) (CA INDEX NAME)



CAS Registry Number
717144-24-6 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1,3-butadiyne-1,4-diyl)bis[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]-, radical ion(1-) (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
717144-25-7 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-

1-yne-4,1-diyl]]]bis-, radical ion(1-) (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)

L3 ANSWER 15 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:328526 CAPLUS Full-text

Document Number
141:54000

Title
Solid-phase synthesis of oligo(triacetylene)s and oligo(phenylenetriacetylene)s employing Sonogashira and Cadiot-Chodkiewicz-type cross-coupling reactions

Author/Inventor
Utesch, Nils F.; Diederich, Francois; Boudon, Corinne; Gisselbrecht, Jean-Paul; Gross, Maurice

Patent Assignee/Corporate Source
Laboratorium fuer Organische Chemie, ETH-Hoenggerberg, HCI, Zurich, CH-8093, Switz.

Source
Helvetica Chimica Acta (2004), 87(3), 698-718 CODEN: HCACAV; ISSN: 0018-019X

Document Type
Journal

Language
English

Abstract
The polymer-supported synthesis of poly(triacetylene)-derived monodisperse oligomers is described, using Pd0-catalyzed Sonogashira and Cadiot-Chodkiewicz-type cross-couplings as the key steps in the construction of the acetylenic scaffolds. Merrifield resin functionalized with a 1-(4-iodoaryl)triazene linker was chosen as the polymeric support. The linker selection was made based on the results of several model studies in the liquid phase. For the solid-support synthesis of p-I[C6H4C.tplbond.CC(CH2OSiMe2CMe3):C(CH2OSiMe2CMe3)C.tplbond.C]nSiMe3 [I, n = 2-4] a set of only three reactions was required: (i) Pd0-catalyzed Sonogashira cross-coupling, (ii) Me3Si-alkyne deprotection by protodesilylation, and (iii) cleavage of the linker with liberation of I. The longest-wavelength absorption maxima of I [n = 1-4] shift bathochromically with increasing oligomeric length, from λmax 337 nm (I, n = 1) to 384 nm (I, n = 4). Based on the electronic absorption data, the effective conjugation length (ECL) of the oligo(phenylene triacetylene)s is estimated to involve at least four monomer units and 40 C-atoms. π-Electron conjugation in these oligomers is less efficient than in Me3Si[C6H4C.tplbond.CC(CH2OSiMe2CMe3):C(CH2OSiMe2CMe3)C.tplbond.C] nSiMe3 (II) due to poor transmittance of π-electron delocalization by the Ph rings inserted into the oligomeric backbone. Similar conclusions were drawn from the electrochem. properties of the two oligomeric series as determined by cyclic (CV) and rotating-disk voltammetry. In sharp contrast to II, I are strongly fluorescent, with the highest quantum yield ΦF = 0.69 measured for I [n = 3]. Whereas the Sonogashira cross-coupling on solid support proceeded smoothly, optimal conditions for alkyne-alkyne cross-coupling reactions employing Pd0-catalyzed Cadiot-Chodkiewicz conditions still remain to be developed.

Hit Structure

CAS Registry Number
554459-62-0 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-7-[(trimethylsilyl)ethynyl]-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B

CAS Registry Number
554459-63-1 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-7-[(trimethylsilyl)ethynyl]-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-64-2 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diynyl]phenyl]ethynyl]-7-[[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
704916-29-0 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6,6'-(1,4-phenylenedi-2,1-ethynediyl)bis[7-[(4-iodophenyl)ethynyl]-2,2,3,3,10,10,11,11-octamethyl-, (6E,6'E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 8 THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD (8 CITINGS)

L3 ANSWER 16 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
2003:491916 CAPLUS Full-text
Document Number
139:395637
Title
Synthesis of differentially protected/functionalised acetylenic building blocks from p-benzoquinone and their use in the synthesis of new enediynes
Author/Inventor

Sankararaman, Sethuraman; Srinivasan, Manivannan
Patent Assignee/Corporate Source
Department of Chemistry, Indian Institute of Technology Madras, Madras, 600 036, India
Source
Organic & Biomolecular Chemistry (2003), 1(13), 2388-2392 CODEN: OBCRAK; ISSN: 1477-0520
Document Type
Journal
Language
English
Abstract
Sequential addition of two different lithium acetylides to p-benzoquinone yielded diastereomeric mixts. of 1,4-diethynylcyclohexa-2,5-diene-1,4- diols I [R = (Me2CH)3Si, (EtO)2CH] with different protective/functional groups on the two ethynyl groups. Selective monodeprotection of the di-Me ethers of I to the corresponding terminal acetylenes followed by Pd(0)-mediated coupling with (Z)-1,2-dichloroethene yielded new enediynes II bearing cyclohexa-2,5-diene units.
Hit Structure

CAS Registry Number
626235-20-9 CAPLUS

Chemical or Trade Name
Silane, [(3Z)-3-hexene-1,5-diyne-1,6-diylbis[(cis-1,4-dimethoxy-2,5-cyclohexadiene-1,4-diyl)-2,1-ethynediyl]]bis[tris(1-methylethyl)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
626235-21-0 CAPLUS

Chemical or Trade Name
1,4-Cyclohexadiene, 3,3'-(3Z)-3-hexene-1,5-diyne-1,6-diylbis[6-(3,3-diethoxy-1-propynyl)-3,6-dimethoxy-, (cis,cis)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B

CAS Registry Number
626235-22-1 CAPLUS

Chemical or Trade Name
1,4-Cyclohexadiene, 3,3'-(3Z)-3-hexene-1,5-diyne-1,6-diylbis[6-ethynyl-3,6-dimethoxy-, (cis,cis)- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 6 THERE ARE 6 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS)

. L3 ANSWER 17 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2003:234291 CAPLUS Full-text

Document Number
139:85055

Title
Acetylenic scaffolding on solid support: Poly(triacetylene)-derived oligomers by Sonogashira and Cadiot-Chodkiewicz-type cross-coupling reactions

Author/Inventor
Utesch, Nils F.; Diederich, Francois

Patent Assignee/Corporate Source
Laboratorium fur Organische Chemie, ETH-Honggerberg, HCI, Zurich, CH-8093, Switz.

Source
Organic & Biomolecular Chemistry (2003), 1(2), 237-239 CODEN: OBCRAK; ISSN: 1477-0520

Document Type
Journal

Language
English

Abstract
Synthesis of poly(triacetylene)-derived oligomers by Pd(0)-catalyzed Sonogashira and Cadiot-Chodkiewicz-type cross-coupling reactions on solid support is reported. Oligo(phenylene triacetylene)s, e.g., I[4-C6H4C.tplbond.CCR:CRC.tplbond.C]nSiMe3 (R = CH2OSiButMe2, n = 1, 2, 3, 4) members of a new class of linearly π-conjugated oligomers with all-C backbones, feature very high fluorescence intensities.

Hit Structure

CAS Registry Number
554459-62-0 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-7-[(trimethylsilyl)ethynyl]-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B

I

CAS Registry Number
554459-63-1 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-7-[(trimethylsilyl)ethynyl]-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-64-2 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diynyl]phenyl]ethynyl]-7-[[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-71-1 CAPLUS

Chemical or Trade Name
Ethanol, 2-[3-[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-1-ethyl-2-triazen-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-72-2 CAPLUS

Chemical or Trade Name
Ethanol, 2-[3-[4-[(3E)-6-[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-1-ethyl-2-triazen-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-73-3 CAPLUS

Chemical or Trade Name
Ethanol, 2-[3-[4-[(3E)-6-[4-[(3E)-6-[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-1-ethyl-2-triazen-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C



OS.CITING REF COUNT: 19 THERE ARE 19 CAPLUS RECORDS THAT CITE THIS RECORD (19 CITINGS)

L3 ANSWER 18 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2002:658690 CAPLUS Full-text

Document Number
137:208374

Title
Manufacturing method of semiconductor device using mask pattern having high etching resistance

Author/Inventor
Ohuchi, Junko; Sato, Yasuhiko; Shiobara, Eishi; Hayashi, Hisataka; Ohiwa, Tokuhisa; Onishi, Yasunobu

Patent Assignee/Corporate Source
Kabushiki Kaisha Toshiba, Japan

Source
U.S. Pat. Appl. Publ., 26 pp. CODEN: USXXCO

Document Type
Patent

Language
English

Patent Information

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 20020119612	A1	20020829	US 2001-14459	20011214
US 6576562	B2	20030610		
JP 2002305187	A	20021018	JP 2001-381504	20011214
JP 3504247	B2	20040308		

Abstract
A manufacturing method of semiconductor device comprises (1) forming a mask material having an aromatic ring and carbon content of ≥ 80 % on an object, (2) forming a mask material pattern by etching the mask material to a desired pattern, and (3) etching the object to transfer the mask material pattern as a mask to the object.

Hit Structure

CAS Registry Number
452303-35-4 CAPLUS

Chemical or Trade Name
1,1'':3',1''':3'',1''':4''',1'''':3'''',1''''':4''''',1''''':3''''',1'''''
'':4''''''',1'''''''':3'''''''',1''''''''':4'''''''',1''''''''':3'''''''
''',1''''''''''':4''''''''''',1'''''''''''-Trideciphenyl,
4,5''-diethynyl-5''''''''''-(4'-ethynyl[1,1'-biphenyl]-4-yl)-5''''''-[3'''-
ethynyl-5'-(4'-ethynyl[1,1'-biphenyl]-4-yl)[1,1':3',1''':4'',1'''-
quaterphenyl]-4-yl]-5''''''''-[4'-ethynyl-5-[4-(4-ethynylphenyl)-3-buten-1-
ynyl][1,1'-biphenyl]-3-yl]-5''''-(3'-ethynyl-5'-methyl[1,1'-biphenyl]-4-
yl)-3''''''''''''',5',5''''''''''''-trimethyl- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B





PAGE 2-A





OS.CITING REF COUNT: 8 THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD (8 CITINGS)

L3 ANSWER 19 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number

2002:198497 CAPLUS Full-text

Document Number
136:401857

Title
Acetylide-Bridged Organometallic Oligomers via the Photochemical Metathesis of Methyl-Iron(II) Complexes

Author/Inventor
Field, Leslie D.; Turnbull, Anthony J.; Turner, Peter

Patent Assignee/Corporate Source
School of Chemistry, The University of Sydney, Sydney, 2006, Australia

Source
Journal of the American Chemical Society (2002), 124(14), 3692-3702 CODEN: JACSAT; ISSN: 0002-7863

Document Type
Journal

Language
English

Abstract
The acetylido Me iron(II) complexes, cis/trans-[Fe(dmpe)2(C.tplbond.CR)(CH3)] (1) and trans-[Fe(depe)2(C.tplbond.CR)(CH3)] (2) (dmpe = 1,2-dimethylphoshinoethane; depe = 1,2-diethylphosphinoethane), were synthesized by transmetalation from the corresponding alkyl halide complexes. Acetylido Me iron(II) complexes were also formed by transmetalation from the chloride complexes, trans-[Fe(dmpe)2(C.tplbond.CR)(Cl)] or trans-[Fe(depe)2(C.tplbond.CR)(Cl)]. The structure of trans-[Fe(dmpe)2(C.tplbond.CC6H5)(CH3)] (1a) was determined by single-crystal x-ray diffraction. The Me acetylido iron complexes, [Fe(dmpe)2(C.tplbond.CR)(CH3)] (1), are thermally stable in the presence of acetylenes; however, under UV irradiation, methane is lost with the formation of a metal bisacetylide. Photochem. metathesis of cis- or trans-[Fe(dmpe)2(CH3)(C.tplbond.CR)] (R = C6H5 (1a), 4-C6H4OCH3 (1b)) with terminal acetylenes was used to selectively synthesize unsym. substituted iron(II) bisacetylide complexes of the type trans-[Fe(dmpe)2(C.tplbond.CR)(C.tplbond.CR')] [R = Ph, R' = Ph (6a), 4-CH3OC6H4 (6b), tBu (6c), SiMe3 (6d), (CH2)4C.tplbond.CH (6e); R = 4-CH3OC6H4, R' = 4-CH3OC6H4, (6g), tBu (6h), (CH2)4C.tplbond.CH (6i), adamantyl (6j)]. The structure of the unsym. iron(II) bisacetylide complex trans-[Fe(dmpe)2(C.tplbond.CC6H5)(C.tplbond.CC6H4OCH3)] (6b) was determined by single-crystal x-ray diffraction. The photochem. metathesis of the bis-acetylene, 1,7-octadiyne, with trans-[Fe(dmpe)2(CH3)(C.tplbond.CPh)] (1a), was utilized to synthesize the bridged binuclear species trans,trans-[(C6H5C.tplbond.C)Fe(dmpe)2(μ- C.tplbond.C(CH2)4C.tplbond.C)Fe(dmpe)2(C.tplbond.CC6H5)] (11). The trinuclear species trans,trans,trans-[(C6H5C.tplbond.C)Fe(dmpe)2(μ-C.tplbond.C(CH2)4C.tplbond.C)Fe(dmpe)2(μ- C.tplbond.C(CH2)4C.tplbond.C)Fe(dmpe)2(C.tplbond.CC6H5)] (12) was synthesized by the photochem. reaction of Fe(dmpe)2(C.tplbond.CPh)(C.tplbond.C(CH2)4C.tplbond.CH) (6e) with Fe(dmpe)2(CH3)2. Extended irradiation of the bisacetylide complexes with phenylacetylene resulted in insertion of the terminal alkyne into one of the metal acetylide bonds to give acetylide butenyne complexes. The structure of the acetylide butenyne complex, trans-[Fe(dmpe)2(C.tplbond.CC6H4OCH3)(η1- C(C6H5):CH(C.tplbond.CC6H4OCH3))] (9a) was determined by single-crystal x-ray diffraction.

Hit Structure

CAS Registry Number
425380-70-7 CAPLUS

Chemical or Trade Name
Iron, bis[1,2-ethanediylbis[dimethylphosphine-κP]][(4-methoxyphenyl)ethynyl][(1E)-4-(4-methoxyphenyl)-1-phenyl-1-buten-3-ynyl]-, (OC-6-11)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



CAS Registry Number
425380-85-4 CAPLUS

Chemical or Trade Name
Iron, [(1E)-1,4-diphenyl-1-buten-3-ynyl]bis[1,2-ethanediylbis[dimethylphosphine-κP]](phenylethynyl)-, (OC-6-11)-(9CI) (CA INDEX NAME)





OS.CITING REF COUNT: 16 THERE ARE 16 CAPLUS RECORDS THAT CITE THIS RECORD (16 CITINGS)

L3 ANSWER 20 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2001:714296 CAPLUS Full-text

Document Number
136:69640

Title
Synthesis and spectroscopic studies of expanded planar dehydrotribenzo[n]annulenes containing one or two isolated alkene units

Author/Inventor
Wan, W. Brad; Chiechi, Ryan C.; Weakley, Timothy J. R.; Haley, Michael M.

Patent Assignee/Corporate Source
Department of Chemistry and the Materials Science Institute, University of Oregon, Eugene, OR, 97403-1253, USA

Source
European Journal of Organic Chemistry (2001), (18), 3485-3490 CODEN: EJOCFK; ISSN: 1434-193X

Document Type
Journal

Language
English

Abstract
Dehydrobenzoannulene derivs. containing isolated alkene linkages, e.g., I, were synthesized by combining an in situ Pd/Cu-mediated cross-coupling with an intramol. cyclization strategy. 1H NMR studies of these macrocycles and comparison with related systems verify that highly alkynylated dehydrobenzoannulenes possess weak induced ring currents, indicative of aromatic (4n+2 π systems) and antiarom. (4n π systems) behavior, in spite of their large size and extensive benzannulation.

Hit Structure

CAS Registry Number
214628-17-8 CAPLUS

Chemical or Trade Name
Silane, tris(1-methylethyl)[[2-[(3E)-6-[2-[4-[2-[[tris(1-methylethyl)silyl]ethynyl]phenyl]-1,3-butadiynyl]phenyl]-3-hexene-1,5-diynyl]phenyl]ethynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
214628-18-9 CAPLUS

Chemical or Trade Name
Silane, tris(1-methylethyl)[[2-[6-[2-[(3E)-6-[2-[[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diynyl]phenyl]-1,3,5-hexatriynyl]phenyl]ethynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
383404-38-4 CAPLUS

Chemical or Trade Name
Silane, [1,2-phenylenebis[(3E)-3-hexene-1,5-diyne-6,1-diyl-2,1-phenylene-2,1-ethynediyl]]bis[tris(1-methylethyl)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS)

L3 ANSWER 21 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2000:832492 CAPLUS Full-text

Document Number
134:310920

Title
Bis(enediyne) Macrocycles: Synthesis, Reactivity, and Structural Analysis

Author/Inventor
Blanchette, H. S.; Brand, S. C.; Naruse, H.; Weakley, T. J. R.; Haley, M. M.

Patent Assignee/Corporate Source
Department of Chemistry, University of Oregon, Eugene, OR, 97403-1253, USA

Source
Tetrahedron (2000), 56(49), 9581-9588 CODEN: TETRAB; ISSN: 0040-4020

Document Type
Journal

Language
English

Abstract
The authors describe the syntheses of five macrocycles possessing two enediyne warheads, along with the structural and thermal analyses of these bis(enediyne) compds. The solid-state packing of one of the compds. suggests the possibility for the mol. to undergo a topochem. diacetylene polymerization

Hit Structure

CAS Registry Number
335378-20-6 CAPLUS

Chemical or Trade Name
Silane, [(3Z)-3-hexene-1,5-diyne-1,6-diylbis(2,1-phenylene-2,1-ethynediyl)]bis[tris(1-methylethyl)- (9CI) (CA INDEX NAME)



CAS Registry Number
335378-30-8 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(3Z)-3-hexene-1,5-diyne-1,6-diylbis[2-ethynyl- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 19 THERE ARE 19 CAPLUS RECORDS THAT CITE THIS RECORD (20 CITINGS)

L3 ANSWER 22 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2000:767122 CAPLUS Full-text

Document Number
134:71381

Title
Synthesis and structure of a new [6.6]metacyclophane with enediyne bridges

Author/Inventor
Srinivasan, Manivannan; Sankararaman, Sethuraman; Dix, Ina; Jones, Peter G.

Patent Assignee/Corporate Source
Department of Chemistry, Indian Institute of Technology, Madras, 600 036, India

Source
Organic Letters (2000), 2(24), 3849-3851 CODEN: ORLEF7; ISSN: 1523-7060

Document Type
Journal

Language
English

Abstract
Synthesis and structure of a novel [6.6]metacyclophane with enediyne bridges I is reported. I was prepared by reacting 1,3-diethynylbenzene with EtMgBr/THF and DMF to give the monoaldehyde. The monoaldehyde was subsequently converted to the acetal, coupled with ClCH:CHCl to give bis-acetal, which was hydrolyzed to the dialdehyde II. II underwent McMurry coupling using TiCl3 and Zn-Cu couple in DME to give I in 69% yield.

Hit Structure

CAS Registry Number
315716-90-6 CAPLUS

Chemical or Trade Name
1,3-Dioxolane, 2,2'-[(3Z)-3-hexene-1,5-diyne-1,6-diylbis(3,1-phenylene-2,1-ethynediyl)]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
315716-91-7 CAPLUS

Chemical or Trade Name
2-Propynal, 3,3'-[(3Z)-3-hexene-1,5-diyne-1,6-diyldi-3,1-phenylene]bis-
(9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 18 THERE ARE 18 CAPLUS RECORDS THAT CITE THIS RECORD (18 CITINGS)

L3 ANSWER 23 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1999:673316 CAPLUS Full-text

Document Number
131:337589

Title
Electronic structure of fully conjugated dendritic oligomers of β,β-dibromo-4-ethynyl styrene

Author/Inventor
Fomine, Serguei; Fomina, Lioudmila; Guadarrama, Patricia

Patent Assignee/Corporate Source
Universidad Nacional Autonoma Mexico, Inst de Investigaciones en Materiales, Coyoacan, 04510 CU, Mex.

Source
Journal of Molecular Structure: THEOCHEM (1999), 488, 207-216 CODEN: THEODJ; ISSN: 0166-1280

Document Type
Journal

Language
English

Abstract
Quantum-mech. calcns. of fully conjugated dendritic oligomers carried out at B3LYP/3-21G//HF/3-21G (d) and B3LYP/3-21G//PM3 levels of theory showed that loose dendritic architecture of β,β-dibromo-4-ethynyl styrene oligomers contributes little to the instability and conjugation disruption compared to 1 → 2 branched polyacetylene, while Br terminal atoms in dendrimers strongly affect the electronic d. distribution in studied mols. On the one hand the bulky bromine atoms decrease the conjugation in Br-terminated dendrimers caused by steric hindrances, on the other hand, highly polarizable bromine atoms reduced significantly adiabatic ionization potentials (IPa) to be up to 1.5 eV lower than corresponding vertical potentials (IPv). Another phenomenon contributing to the reducing of IPa's of all dendrimers is the flattening of mol. geometry accompanying the ionization thus allowing better delocalization of pos. charge over the conjugated system while all aromatic ring except the very outer layer lost their aromaticity becoming essentially quinone by nature.

Hit Structure

CAS Registry Number
206181-71-7 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-
pentadiyne-1,5-diyl]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-72-8 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-73-9 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis[4-(2,2-dibromoethenyl)- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-74-0 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1,3-butadiyne-1,4-diyl)bis[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)





CAS Registry Number
206181-75-1 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis- (CA INDEX NAME)



CAS Registry Number
206181-76-2 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-77-3 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-78-4 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[1,3-butadiyne-1,4-diylbis[4,1-phenylene[3-[[4-[4-(4-formylphenyl)-2-[(4-formylphenyl)ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-3-buten-1-yne-4,1-diyl]-4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-79-5 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]-2-[[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)

L3 ANSWER 24 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
1999:650836 CAPLUS Full-text
Document Number
132:16702
Title
Theoretical description of luminescent effects in β,β-di(4'-formylphenylethynyl)-4- ethynylstyrene
Author/Inventor
Salcedo, R.; Guadarrama, P.; Sansores, L. E.; Fomine, S.; Fomina, L.

Patent Assignee/Corporate Source

Inst. de Investigaciones en Materiales, Inst. de Investigaciones en Materiales, UNAM, Mexico, 04510, Mex.

Source

Materials Research Society Symposium Proceedings (1999), 560(Luminescent Materials), 359-364 CODEN: MRSPDH; ISSN: 0272-9172

Document Type

Journal

Language

English

Abstract

Theor. calcns. at HF/6-31 G(d) level were carried out on fully conjugated compds. (4-ethynylbenzaldehyde, β,β-dibromo-4-ethynylstyrene, β,β-Di(4'-formylphenylethynyl)-4-ethynylstyrene and its dimmer) to understand the source of blue emission observed in oligomers of the 1st and 2nd generation in CHCl3 solns. The frontier orbitals are distributed through the framework of the mols. (benzene rings, double and triple bonds and chromophores). Addnl., a CI approach was applied over β,β-Di(4'-formylphenylethynyl)-4-ethynylstyrene (compound 3) at CIS/6-31 G(d) level to modeling excited states and simulate the UV-visible spectrum exptl. obtained. Calculated transitions corresponded to S0→S1 which are, presumably, responsible for the fluorescence observed

Hit Structure

CAS Registry Number
206181-75-1 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis- (CA INDEX NAME)



CAS Registry Number
251479-84-2 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[1,3-butadiyne-1,4-diylbis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

. L3 ANSWER 25 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1998:756297 CAPLUS Full-text

Document Number
130:118607

Title
Porphyrin-[(E)-1,2-diethynylethene] scaffolding. Synthesis and optical and electrochemical properties of multinanometer-sized porphyrin arrays

Author/Inventor
Wytko, Jennifer; Berl, Volker; McLaughlin, Mark; Tykwinski, Rik R.; Schreiber, Martin; Diederich, Francois; Boudon, Corinne; Gisselbrecht, Jean-Paul; Gross, Maurice

Patent Assignee/Corporate Source
Laboratorium Organische Chemie, ETH-Zentrum, Zurich, CH-8092, Switz.

Source
Helvetica Chimica Acta (1998), 81(11), 1964-1977 CODEN: HCACAV; ISSN: 0018-019X

Document Type
Journal

Language
English

Abstract
Two series of linearly conjugated hybrid materials, consisting of (E)-1,2-diethynylethene (DEE; hex-3-ene-1,5-diyne) and Zn(II) porphyrin components, were prepared by Pd0-catalyzed cross-coupling reactions. In 1 series, 1 or 2 DEE substituents were introduced into the meso-positions of the Zn(II) porphyrins, leading from Zn 5,15-bis{[(ethoxycarbonyl)propoxy]phenyl}porphinate (1) to I and II (n = 1; R = SiMe2tBu). The second series contains the linearly π-conjugated mol. rods III (n = 1-3) that span a length range from 23 Å for III (n = 1) to 53 Å for III (n = 3). The larger rods III (n = 2 and 3) consist of 2 or 3 porphyrin moieties, resp., that are bridged at the meso-positions by trans-enediynediyl (hex-3-ene-1,5-diyne-1,6-diyl) linkers. The UV/VIS spectra in the series I, II, and III (n = 1) showed a strong bathochromic shift of both Soret and Q bands of the Zn(II) porphyrin as a result of the addition of DEE substituents. Upon changing from I to II, the Q band was further bathochromically shifted, whereas the Soret band remained nearly at the same position but became broadened and displayed a shoulder on the lower-wavelength edge as a result of excitonic coupling. The close resemblance between the UV/Vis spectra of III (n = 2 and 3) suggests that saturation of the optical properties in the oligomeric series already occurs at the stage of dimeric III (n = 2). Stationary voltammetric investigations showed that the DEE substituents act as strong electron acceptors which induce large anodic shifts in the 1st reduction potential upon changing from I to II (ΔE = 190 mV) and to III (n = 1) (ΔE = 340 mV). Increasing the number of porphyrin moieties upon changing from III (n = 1) to III (n = 2) had no effect on the 1st reduction potential yet the 1st oxidation potential was substantially lowered (ΔE = 110 mV). Large differences in the potentials for 1-electron oxidation of the 2 porphyrin moieties in III (n = 2) (ΔE = 200 mV) confirmed the existence of substantial electronic communication between the 2 macrocycles across the trans-enediynediyl bridge.

Hit Structure

CAS Registry Number
219483-19-9 CAPLUS

Chemical or Trade Name
Zinc, [μ-[[tetraethyl 4,4',4'',4'''-[[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyne-1,6-diyl]bis[[20-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diynyl]-21H,23H-porphine-10,5,15-triyl-κN21,κN22,κN23,κN24]-4,1-phenyleneoxy]]tetrakis[butanoato]](4-)]]di- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 2-A





PAGE 2-B



OS.CITING REF COUNT: 45 THERE ARE 45 CAPLUS RECORDS THAT CITE THIS RECORD (45 CITINGS)

L3 ANSWER 26 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1998:606810 CAPLUS Full-text

Document Number
129:302407

Title
Synthesis of expanded planar dehydrobenzoannulenes: weakly diatropic, weakly paratropic, or atropic?

Author/Inventor
Wan, W. Brad; Kimball, David B.; Haley, Michael M.

Patent Assignee/Corporate Source
Department of Chemistry, University of Oregon, Oregon, 97403-1253, USA

Source
Tetrahedron Letters (1998), 39(38), 6795-6798 CODEN: TELEAY; ISSN: 0040-4039

Document Type
Journal

Language
English

Abstract
Use of a Cu/Pd cross-coupling strategy has led to the synthesis of the first dehydrobenzoannulenes I [X = C.tplbond.C, (E)-CH:CH; n = 0,1] containing triacetylenic linkages. NMR studies of these macrocycles and comparison with other known systems indicate that, in spite of their large size and extensive benzannelation, dehydrobenzoannulenes possess weak induced ring currents.

Hit Structure

CAS Registry Number
214628-17-8 CAPLUS

Chemical or Trade Name
Silane, tris(1-methylethyl)[[2-[(3E)-6-[2-[4-[2-[[tris(1-methylethyl)silyl]ethynyl]phenyl]-1,3-butadiynyl]phenyl]-3-hexene-1,5-

diynyl]phenyl]ethynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
214628-18-9 CAPLUS

Chemical or Trade Name
Silane, tris(1-methylethyl)[[2-[6-[2-[(3E)-6-[2-[[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diynyl]phenyl]-1,3,5-hexatriynyl]phenyl]ethynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 26 THERE ARE 26 CAPLUS RECORDS THAT CITE THIS RECORD (27 CITINGS)

. L3 ANSWER 27 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
1998:269262 CAPLUS Full-text
Document Number
128:257221
Title
Steric Hindrance Facilitated Synthesis of Enynes and Their Intramolecular [4 + 2] Cycloaddition with Alkynes
Author/Inventor
Gonzalez, Juan J.; Francesch, Andres; Cardenas, Diego J.; Echavarren, Antonio M.
Patent Assignee/Corporate Source
Departamento de Quimica Organica, Universidad Autonoma de Madrid, Madrid, 28049, Spain
Source
Journal of Organic Chemistry (1998), 63(9), 2854-2857 CODEN: JOCEAH; ISSN: 0022-3263
Document Type
Journal
Language
English
Abstract

The palladium-catalyzed insertion of 1-alkynes into internal alkynes which are bent out of linearity by the interference with a peri or ortho substituent led to enynes regioselectively. The resulting enynes undergo a new type of intramol. thermal cycloaddn., which can be used for the annulation of an aryl ring onto naphthalene derivs. to afford fluranthenes. The cyclization of (E)-1-(1-buten-3-ynyl)-8- ethynylnaphthalene could also be performed in the presence of a Cu(I) catalyst at room temperature

Hit Structure

CAS Registry Number
205124-39-6 CAPLUS

Chemical or Trade Name
4-Pentyn-2-ol, 2-methyl-5-(4-methylphenyl)-3-[[8-[2-(4-methylphenyl)ethynyl]-1-naphthalenyl]methylene]-, (3Z)- (CA INDEX NAME)



OS.CITING REF COUNT: 23 THERE ARE 23 CAPLUS RECORDS THAT CITE THIS RECORD (23 CITINGS)

. L3 ANSWER 28 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1998:247633 CAPLUS Full-text

Document Number
128:295129

Title
Synthesis and characterization of well-defined fully conjugated hyperbranched oligomers of β,β-dibromo-4-ethynylstyrene

Author/Inventor
Fomina, Lioudmila; Guadarrama, Patricia; Fomine, Serguei; Salcedo, Roberto; Ogawa, Takeshi

Patent Assignee/Corporate Source
Instituto Investigaciones Materiales, Univ. Nacional Autonoma de Mexico, Mexico, 04510, Mex.

Source
Polymer (1998), 39(12), 2629-2635 CODEN: POLMAG; ISSN: 0032-3861

Document Type
Journal

Language
English

Abstract
Well-defined dendritic oligomers of poly(β,β-dibromo-4-ethynylstyrene) of the first and second generation were synthesized by a stepwise synthesis, and characterized. NMR and theor. calcns. showed that free rotation around formal single bonds is hampered by conjugation. All of the oligomers were blue emitters with their emission maxima correlating with the number of repeating units. All dendrimers except β,β-bis[β',β'-di(β",β"- dibromostyryl-4"-ethynyl)styryl-4'-ethynyl]-4-ethynylstyrene showed two maxima in the excitation spectra.

Hit Structure

CAS Registry Number
206181-71-7 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-72-8 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-73-9 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis[4-(2,2-dibromoethenyl)- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-74-0 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1,3-butadiyne-1,4-diyl)bis[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-75-1 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis- (CA INDEX NAME)



CAS Registry Number
206181-76-2 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-77-3 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-78-4 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[1,3-butadiyne-1,4-diylbis[4,1-phenylene[3-[[4-[4-(4-formylphenyl)-2-[(4-formylphenyl)ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-3-buten-1-yne-4,1-diyl]-4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-79-5 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]-2-[[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS)

. L3 ANSWER 29 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1996:303100 CAPLUS Full-text

Document Number
125:11582

Title
Synthesis and polymerization of β,β-dibromo-4-ethynylstyrene; preparation of a new polyconjugated, hyperbranched polymer

Author/Inventor
Fomina, Lioudmila; Salcedo, Roberto

Patent Assignee/Corporate Source
Inst. Investigaciones Materiales, Circuito Exterior, Ciudad Univ., Mexico City, 04510, Mex.

Source
Polymer (1996), 37(9), 1723-1728 CODEN: POLMAG; ISSN: 0032-3861

Document Type
Journal

Language
English

Abstract
The monomer, β,β-dibromo-4-ethynylstyrene, was prepared and polymerized by the Heck reaction to give a partially soluble, conjugated hyperbranched polymer. The polymer structure was elucidated using standard spectroscopic techniques and with the aid of model compound synthesis. Theor. calcns. using the AM1 method were carried out and showed that conjugation in the polymer is partially disrupted by twisting of the benzene rings. Both the model compound and the polymer showed luminescence.

Hit Structure

CAS Registry Number
177410-40-1 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1,3-butadiyne-1,4-diyl)bis[4-[4-phenyl-2-(phenylethynyl)-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 16 THERE ARE 16 CAPLUS RECORDS THAT CITE THIS RECORD (16 CITINGS)

. L3 ANSWER 30 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1995:946580 CAPLUS Full-text

Document Number
124:9540

Title
Novel polymers containing discrete conjugated units, produced by the Heck reaction

Author/Inventor
Fomine, Sergei; Fomina, Lioudmila; Florentino, Hector Quiroz; Mendez, Juan Manuel; Ogawa, Takeshi

Patent Assignee/Corporate Source
Instituto de Investigaciones en Materiales, Universidad Nacional Autonoma de Mexico, Covoacon, 04510, Mex.

Source
Polymer Journal (Tokyo) (1995), 27(11), 1085-93 CODEN: POLJB8; ISSN: 0032-3896

Document Type
Journal

Language
English

Abstract
Novel monomers and polymers containing arylenevinylideneethynylene groups were synthesized via the Heck reaction. The polymers were amorphous and soluble in common organic solvents. They have Tg .apprx.60°, 5% weight loss at 240-340° and undergo thermal crosslinking at 170-190° with loss of triple bonds. One of the polymers exhibits strong blue luminescence with emission maxima .apprx.380-390 and 470-480 nm with excitation at 320 nm. All polymers show 3rd order NLO susceptibility .apprx.10-10 esu.

Hit Structure

CAS Registry Number
171296-95-0 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4-[2-[4-[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]phenyl]ethynyl]- (CA INDEX NAME)



CAS Registry Number
171296-96-1 CAPLUS

Chemical or Trade Name
Benzene, 1-[2-[4-(2,2-dibromoethenyl)phenyl]ethynyl]-4-[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
171296-99-4 CAPLUS

Chemical or Trade Name
Decanedioic acid, di-2-propynyl ester, polymer with
1-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-4-[4-phenyl-2-(phenylethynyl)-1-
buten-3-ynyl]benzene (9CI) (CA INDEX NAME)

CM
1

CRN 171296-96-1
CMF C34 H20 Br2



CM
2

CRN 93164-22-8
CMF C16 H22 O4



CAS Registry Number
171297-02-2 CAPLUS

Chemical or Trade Name
Benzene, 1-ethynyl-4-[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]-
(CA INDEX NAME)



OS.CITING REF COUNT: 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS)

L3 ANSWER 31 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1995:642218 CAPLUS Full-text

Document Number
123:33763

Title
Synthesis and molten-state polymerization of some novel conjugated diacetylenes

Author/Inventor
Fomina, Lioudmila; Allier, Hector; Fomine, Sergei; Salcedo, Roberto; Ogawa, Takeshi

Patent Assignee/Corporate Source
Inst. Investigaciones Materiales, Ciudad Univ., Mexico, 04510, Mex.

Source
Polymer Journal (Tokyo) (1995), 27(6), 591-600 CODEN: POLJB8; ISSN: 0032-3896

Document Type
Journal

Language
English

Abstract
A series of new, highly conjugated diacetylenes, 4-ethynylstilbene derivs., was synthesized and their polymerization was studied. None of them was found to undergo topochem. polymerization in the solid state but they readily polymerized in the molten state to give red transparent and amorphous polymers. All the polymers had an absorption maximum in the visible spectra around 500 nm, and FT-IR data showed the enyne structure of the polymer chain resulted from 1,4-addition

Hit Structure

CAS Registry Number
164467-30-5 CAPLUS

Chemical or Trade Name
Benzene, 1-[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]-4-[2-
(trimethylsilyl)ethynyl]- (CA INDEX NAME)



CAS Registry Number
164467-25-8 CAPLUS

Chemical or Trade Name
3,5-Hexadiyn-1-ol, 6-[4-[4-phenyl-2-(phenylethynyl)-1-buten-3-ynyl]phenyl]-
, homopolymer (9CI) (CA INDEX NAME)

CM
   1

CRN 164467-20-3
CMF C30 H20 O



CAS Registry Number
164467-20-3 CAPLUS

Chemical or Trade Name
3,5-Hexadiyn-1-ol, 6-[4-[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-
yl]phenyl]- (CA INDEX NAME)



OS.CITING REF COUNT: 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS)

. L3 ANSWER 32 OF 32 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1994:522234 CAPLUS Full-text

Document Number
121:122234

Title
Difluoride derivative and liquid crystal composition containing the same

Author/Inventor
Yokokoji, Osamu; Irisawa, Jun; Koh, Hidemasa

Patent Assignee/Corporate Source
Asahi Glass Co., Ltd., Japan

Source
PCT Int. Appl., 43 pp. CODEN: PIXXD2

Document Type
Patent

Language
Japanese

Patent Information

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9405613	A1	19940317	WO 1993-JP1235	19930901
EP 628528	A1	19941214	EP 1993-919602	19930901
JP 06263661	A	19940920	JP 1993-219709	19930903
JP 3564711	B2	20040915		
US 5419851	A	19950530	US 1994-211625	19940420
JP 2004292454	A	20041021	JP 2004-115211	20040409
JP 3707493	B2	20051019		

Abstract
Difluoride derivs. represented by the general formula: R1(A1Y1)mA2CF:CFC.tplbond.CA3(Y2A4)nR2 (A1 - A4 = trans-1,4-cyclohexylene, 1,4-cyclohexenylene, or 1,4-phenylene wherein ≥1 CH groups of each ring may be substituted by N or ≥1 CH2 groups of the ring may be substituted by O or S; m, n = 0, 1; R1, R2 = C1-10 alkyl, halo, cyano wherein (1) O, CO2, or O2C may be inserted between the C-C bond of alkyl or that between alkyl and ring, (2) a part of the C-C bonds in alkyl is replaced by C:C or C.tplbond.C bond, or (3) one CH2 group in alkyl is replaced by CO group; Y1, Y2 = CO2, O2C, C.tplbond.C, CH2CH2, CH:CH, OCH2, CH2O) are prepared These compds. have low viscosity, are light-stable, and hence can provide a liquid crystal composition having high response speed. Thus, 0.1 mol ClCF:CF2 was blown into THF at -100° followed by adding dropwise 62.1 mL 1.61 M BuLi/hexane, stirring for 30 min, adding dropwise 0.1 mol Me3SiCl, stirring for 1 h, adding dropwise a solution of 4-propylphenyl lithium in THF (prepared from 4-propyliodobenzene and BuLi) at -100°, and stirring for 2 h at 0° to give 75% (Z)-4-PrC6H4CF:CFSiMe3. The latter compound (0.075 mol) was reacted with 0.15 mol KF in aqueous MeCN at 70° for 1 h to give 83% (E)-4-PrC6H4CF:CFH which (0.062 mol) was dissolved in THF, cooled to -78°, and treated dropwise with 38.5 mL 1.61 M BuLi/hexane followed by stirring for 30 min, adding 15.7 g iodine, and stirring at room temperature for 4 h to give 83% (E)-4-PrC6H4CF:CFI. The latter compound (0.051 mol) and 0.051 mol 4-propylphenylacetylene were dissolved in 100 mL Et3N followed by adding Pd(PPh3)2Cl2 and CuI and the resulting mixture was allowed to react at room temperature for 6 h to give 70% diphenyldifluorobutenyne

derivative (I). A STN-type liquid crystal display device was prepared from a liquid composition containing 20 weight% I and 80 weight% ZLI-1565 and irradiated with a UV carbon arc lamp for 200 h; new compds. were hardly formed whereas cis-4,4'-bis(n-propyl)difluorostilbene was formed in a liquid crystal composition containing ZLI-1565 and trans-4,4'-bis(n-propyl)difluorostilbene.

Hit Structure

CAS Registry Number
156869-08-8 CAPLUS

Chemical or Trade Name
Benzene, 1-[1,2-difluoro-4-(4-propylphenyl)-1-buten-3-ynyl]-4-[(4-methylphenyl)ethynyl]-, (E)- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (5 CITINGS)

=>

---Logging off of STN---

=>
Executing the logoff script...

=>





```
chain nodes :
1 2 3 4 5 6 7 8 9 11 15 16 17 18 19
chain bonds :
1-2 1-11 2-3 3-4 4-5 5-6 6-7 7-8 8-9 9-15 15-16 16-17 17-18 18-19
exact/norm bonds :
1-11 6-7 7-8 18-19
exact bonds :
1-2 2-3 3-4 4-5 5-6 8-9 9-15 15-16 16-17 17-18


G1:Cb,Cy,Hy

G2:C,H,Si,Cb,Cy,Hy

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:Atom 8:CLASS 9:CLASS 11:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS



L1      STRUCTURE UPLOADED

=> s l1 sss full
FULL SEARCH INITIATED 12:44:38 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -    12030 TO ITERATE

100.0% PROCESSED    12030 ITERATIONS                          106 ANSWERS
SEARCH TIME: 00.00.01

L2          106 SEA SSS FUL L1

=> s l2
L3           32 L2

=> l3 and (py<=2004 or ay<=2004)
      25158915 PY<=2004
       5170681 AY<=2004
L4           22 L3 AND (PY<=2004 OR AY<=2004)

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 22 ANSWERS - CONTINUE? Y/(N):y
```

L4 ANSWER 1 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:832644 CAPLUS Full-text

Document Number
142:38113

Title
Site-Selective Monotitanation of Dialkynylpyridines and Its Application for Preparation of Highly Fluorescent π-Conjugated Oligomers

Author/Inventor
Takayama, Yuuki; Hanazawa, Takeshi; Andou, Tomohiro; Muraoka, Kenji; Ohtani, Hiroyuki; Takahashi, Mizuki; Sato, Fumie

Patent Assignee/Corporate Source
Department of Biomolecular Engineering, Tokyo Institute of Technology, Midori-ku, Yokohama, Kanagawa, 226-8501, Japan

Source
Organic Letters (**2004**), 6(23), 4253-4256 CODEN: ORLEF7; ISSN: 1523-7060

Document Type
Journal

Language
English

Abstract
Reaction of Ti(O-i-Pr)4/2i-PrMgCl reagent with 2,n-bis[(trimethylsilyl)ethynyl]pyridines, where n is 3, 4, 5, and 6, or with 3,4-bis[(trimethylsilyl)ethynyl]pyridines, proceeded with excellent site-selectivity to afford the corresponding monotitanated complex. Synthetic application of the reaction was demonstrated by an efficient preparation of π-conjugated oligomers having pyridine and enyne units alternately, which possess intense blue fluorescence emission. Thus, reaction of 2,3-bis[(trimethylsilyl)ethynyl]pyridine with Ti(O-i-Pr)4/2i-PrMgCl reagent in Et2O gave 84% (Z)-2-[2-(trimethylsilyl)ethenyl]-3-[(trimethylsilyl)ethynyl]pyridine.

Hit Structure

```
CAS Registry Number
805240-17-9  CAPLUS


Chemical or Trade Name
Pyridine, 2-[(1E)-4-[6-(1E)-1-tetradecen-3-yn-1-yl-3-pyridinyl]-1-buten-3-
yn-1-yl]-5-[2-(trimethylsilyl)ethynyl]-   (CA INDEX NAME)
```

PAGE 1-A



PAGE 1-B



CAS Registry Number
805240-18-0 CAPLUS

Chemical or Trade Name
Pyridine, 2-[(1E)-4-[6-[(1E)-4-[6-(1E)-1-tetradecen-3-yn-1-yl-3-pyridinyl]-1-buten-3-yn-1-yl]-3-pyridinyl]-1-buten-3-yn-1-yl]-5-[2-(trimethylsilyl)ethynyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
805240-19-1 CAPLUS

Chemical or Trade Name
Pyridine, 2-[(1E)-4-[6-[(1E)-4-[6-[(1E)-4-[6-(1E)-1-tetradecen-3-yn-1-yl-3-pyridinyl]-1-buten-3-yn-1-yl]-3-pyridinyl]-1-buten-3-yn-1-yl]-3-pyridinyl]-1-buten-3-yn-1-yl]-5-[2-(trimethylsilyl)ethynyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 3 THERE ARE 3 CAPLUS RECORDS THAT CITE THIS RECORD (3 CITINGS)

. L4 ANSWER 2 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:566840 CAPLUS Full-text

Document Number
141:261152

Title
π-Conjugated Dendrimers Based on Bis(enediynyl)benzene Units

Author/Inventor
Hwang, Gil Tae; Kim, Byeang Hyean

Patent Assignee/Corporate Source
National Research Laboratory, Department of Chemistry, Division of Molecular and Life Sciences, Pohang University of Science and Technology, Pohang, 790-784, S. Korea

Source
Organic Letters (**2004**), 6(16), 2669-2672 CODEN: ORLEF7; ISSN: 1523-7060

Document Type
Journal

Language
English

Abstract
We have synthesized a new family of π-conjugated dendrimers that are based on bis(enediynyl)benzene units by using both divergent and convergent approaches. The compds. at all three generations have strong bluish-green fluorescence, especially the third-generation dendrimer, which has the highest extinction coefficient and quantum efficiency in this series.

Hit Structure

CAS Registry Number
754233-16-4 CAPLUS

Chemical or Trade Name
Benzene, 1,4-bis[4-[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]-2-[[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
754233-18-6 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[4-[4-[4-(4-formylphenyl)-2-[(4-formylphenyl)ethynyl]-1-buten-3-ynyl]phenyl]-2-[[4-[4-(4-formylphenyl)-2-[(4-formylphenyl)ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-1-buten-3-ynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-75-1 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis- (CA INDEX NAME)



OS.CITING REF COUNT: 17 THERE ARE 17 CAPLUS RECORDS THAT CITE THIS RECORD (17 CITINGS)

. L4 ANSWER 3 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:480115 CAPLUS Full-text

Document Number
141:190674

Title
Synthesis of Conjugated Oligomers Having Aromatic and Enediyne Units Alternately in the Backbone that Show Intense Fluorescence Emission

Author/Inventor
Nakano, Yuuki; Ishizuka, Kenichi; Muraoka, Kenji; Ohtani, Hiroyuki; Takayama, Yuuki; Sato, Fumie

Patent Assignee/Corporate Source
Department of Biomolecular Engineering, Tokyo Institute of Technology, Midori, Yokohama, Kanagawa, 226-8501, Japan

Source
Organic Letters (**2004**), 6(14), 2373-2376 CODEN: ORLEF7; ISSN: 1523-7060

Document Type
Journal

Language
English

Abstract
Synthesis and fluorescence properties of π-conjugated compds. I (n = 1 - 3; X = 1,4-phenylene, 2,5-pyridine, 2,5-thiophene; R = n-Pr, n-Bu) having alternately an aromatic or heteroarom. ring and an enediyne unit in the backbone are described.

Hit Structure

CAS Registry Number
740810-61-1 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[4-[(3E)-3-propyl-4-[2-[4-[2-[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-62-2 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[4-[(3E)-3-propyl-4-[[4-[(3E)-3-propyl-4-[[4-[[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-64-4 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-[6-[2-[tris(1-methylethyl)silyl]ethynyl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-65-5 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-[6-[2-[tris(1-methylethyl)silyl]ethynyl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-67-7 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[5-[(3E)-3-propyl-4-[[5-[[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]-2-thienyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-68-8 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[5-[(3E)-3-propyl-4-[[5-[(3E)-3-propyl-4-[[5-[[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]-2-thienyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-63-3 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[4-[(3E)-3-propyl-4-[[4-[(3E)-3-propyl-4-[[4-[(3E)-3-propyl-4-[[4-[[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C

CAS Registry Number
740810-66-6 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-[6-[2-[tris(1-methylethyl)silyl]ethynyl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C

CAS Registry Number
740810-69-9 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[5-[(3E)-4-[2-[5-[(3E)-5-ethyl-4-[2-[5-[(3E)-5-ethyl-3-propyl-4-[2-[5-[2-[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-penten-1-yn-1-yl]-2-thienyl]ethynyl]-3-propyl-3-penten-1-yn-1-yl]-2-thienyl]ethynyl]-3-propyl-3-hepten-1-yn-1-yl]-2-thienyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C

OS.CITING REF COUNT: 23 THERE ARE 23 CAPLUS RECORDS THAT CITE THIS RECORD (24 CITINGS)

L4 ANSWER 4 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:382959 CAPLUS Full-text

Document Number
141:88772

Title
Electrochemical and theoretical study of a family of fully conjugated dendritic oligomers

Author/Inventor
Osorio, Gabriela; Frontana, Carlos; Guadarrama, Patricia; Frontana-Uribe, Bernardo A.

Patent Assignee/Corporate Source
Instituto de Quimica, UNAM, Circuito Exterior Ciudad Universitaria, Mexico, 04510, Mex.

Source
Journal of Physical Organic Chemistry (**2004**), 17(5), 439-447 CODEN: JPOCEE; ISSN: 0894-3230

Document Type
Journal

Language
English

Abstract
Novel dendritic oligomers of β,β-dibromo-4-ethynylstyrene and formyl-4-ethynylstyrene were electrochem. and theor. studied to gain a better insight into their redox behavior. Correlations between calculated ionization and exptl. oxidation potentials (anodic peak potentials) were established. The best correlation was obtained when two important effects are considered in the theor. calcns., probing their strong influence: (a) structural re-accommodation in the formed radical cation and (b) solvation effects. The effect of dendritic terminal groups (dibromovinyl and formyl groups) was also analyzed. A different redox behavior was observed for these two terminal groups, presumably due to a difference in their oxidation mechanisms. A global chemical transformation for the oxidation of dibromovinyl-terminated oligomers was proposed, providing a satisfactory explanation of the electrochem. behavior within this family of (presence of adsorptive phenomena). Taking these results into account, it is possible to explain how the cation-radical species formed in these conjugated dendritic oligomers behave when cyclic voltammetry technique is applied.

Hit Structure

CAS Registry Number
716327-89-8 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl-, radical ion(1+) (9CI) (CA INDEX NAME)



CAS Registry Number
716327-90-1 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1,3-butadiyne-1,4-diyl)bis[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]-, radical ion(1+) (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
716327-91-2 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis-, radical ion(1+) (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-72-8 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-74-0 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1,3-butadiyne-1,4-diyl)bis[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-76-2 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-

1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
717144-23-5 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl-, radical ion(1-) (9CI) (CA INDEX NAME)



CAS Registry Number
717144-24-6 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1,3-butadiyne-1,4-diyl)bis[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]-, radical ion(1-) (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
717144-25-7 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis-, radical ion(1-) (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)

. L4 ANSWER 5 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:328526 CAPLUS Full-text

Document Number
141:54000

Title
Solid-phase synthesis of oligo(triacetylene)s and oligo(phenylenetriacetylene)s employing Sonogashira and Cadiot-Chodkiewicz-type cross-coupling reactions

Author/Inventor
Utesch, Nils F.; Diederich, Francois; Boudon, Corinne; Gisselbrecht, Jean-Paul; Gross, Maurice

Patent Assignee/Corporate Source
Laboratorium fuer Organische Chemie, ETH-Hoenggerberg, HCI, Zurich, CH-8093, Switz.

Source
Helvetica Chimica Acta (**2004**), 87(3), 698-718 CODEN: HCACAV; ISSN: 0018-019X

Document Type
Journal

Language
English

Abstract
The polymer-supported synthesis of poly(triacetylene)-derived monodisperse oligomers is described, using Pd0-catalyzed Sonogashira and Cadiot-Chodkiewicz-type cross-couplings as the key steps in the construction of the acetylenic scaffolds. Merrifield resin functionalized with a 1-(4-iodoaryl)triazene linker was chosen as the polymeric support. The linker selection was made based on the results of several model studies in the liquid phase. For the solid-support synthesis of p-I[C6H4C.tplbond.CC(CH2OSiMe2CMe3):C(CH2OSiMe2CMe3)C.tplbond.C]nSiMe3 [I, n = 2-4] a set of only three reactions was required: (i) Pd0-catalyzed Sonogashira cross-coupling, (ii) Me3Si-alkyne deprotection by protodesilylation, and (iii) cleavage of the linker with liberation of I. The longest-wavelength absorption maxima of I [n = 1-4] shift bathochromically with increasing oligomeric length, from λmax 337 nm (I, n = 1) to 384 nm (I, n = 4). Based on the electronic absorption data, the effective conjugation length (ECL) of the oligo(phenylene triacetylene)s is estimated to involve at least four monomer units and 40 C-atoms. π-Electron conjugation in these oligomers is less efficient than in Me3Si[C6H4C.tplbond.CC(CH2OSiMe2CMe3):C(CH2OSiMe2CMe3)C.tplbond.C] nSiMe3 (II) due to poor transmittance of π-electron delocalization by the Ph rings inserted into the oligomeric backbone. Similar conclusions were drawn from the electrochem. properties of the two oligomeric series as determined by cyclic (CV) and rotating-disk voltammetry. In sharp contrast to II, I are strongly fluorescent, with the highest quantum yield ΦF = 0.69 measured for I [n = 3]. Whereas the Sonogashira cross-coupling on solid support proceeded smoothly, optimal conditions for alkyne-alkyne cross-coupling reactions employing Pd0-catalyzed Cadiot-Chodkiewicz conditions still remain to be developed.

Hit Structure

CAS Registry Number
554459-62-0 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-7-[(trimethylsilyl)ethynyl]-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B

—I

CAS Registry Number
554459-63-1 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-7-

[(trimethylsilyl)ethynyl]-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-64-2 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diynyl]phenyl]ethynyl]-7-[[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
704916-29-0 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6,6'-(1,4-phenylenedi-2,1-ethynediyl)bis[7-[(4-iodophenyl)ethynyl]-2,2,3,3,10,10,11,11-octamethyl-, (6E,6'E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 8 THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD (8 CITINGS)

L4 ANSWER 6 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2003:491916 CAPLUS Full-text

Document Number
139:395637

Title
Synthesis of differentially protected/functionalised acetylenic building blocks from p-benzoquinone and their use in the synthesis of new enediynes

Author/Inventor
Sankararaman, Sethuraman; Srinivasan, Manivannan

Patent Assignee/Corporate Source
Department of Chemistry, Indian Institute of Technology Madras, Madras, 600 036, India

Source
Organic & Biomolecular Chemistry (**2003**), 1(13), 2388-2392 CODEN: OBCRAK; ISSN: 1477-0520

Document Type
Journal

Language
English

Abstract
Sequential addition of two different lithium acetylides to p-benzoquinone yielded diastereomeric mixts. of 1,4-diethynylcyclohexa-2,5-diene-1,4- diols I [R = (Me2CH)3Si, (EtO)2CH] with different protective/functional groups on the two ethynyl groups. Selective monodeprotection of the di-Me ethers of I to the corresponding terminal acetylenes followed by Pd(0)-mediated coupling with (Z)-1,2-dichloroethene yielded new enediynes II bearing cyclohexa-2,5-diene units.

Hit Structure

CAS Registry Number
626235-20-9 CAPLUS

Chemical or Trade Name
Silane, [(3Z)-3-hexene-1,5-diyne-1,6-diylbis[(cis-1,4-dimethoxy-2,5-cyclohexadiene-1,4-diyl)-2,1-ethynediyl]]bis[tris(1-methylethyl)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
626235-21-0 CAPLUS

Chemical or Trade Name
1,4-Cyclohexadiene, 3,3'-(3Z)-3-hexene-1,5-diyne-1,6-diylbis[6-(3,3-diethoxy-1-propynyl)-3,6-dimethoxy-, (cis,cis)- (9CI) (CA INDEX NAME)

PAGE 1-A



OEt

CAS Registry Number
626235-22-1 CAPLUS

Chemical or Trade Name
1,4-Cyclohexadiene, 3,3'-(3Z)-3-hexene-1,5-diyne-1,6-diylbis[6-ethynyl-3,6-dimethoxy-, (cis,cis)- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 6 THERE ARE 6 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS)

L4 ANSWER 7 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2003:234291 CAPLUS Full-text

Document Number
139:85055

Title
Acetylenic scaffolding on solid support: Poly(triacetylene)-derived oligomers by Sonogashira and Cadiot-Chodkiewicz-type cross-coupling reactions

Author/Inventor
Utesch, Nils F.; Diederich, Francois

Patent Assignee/Corporate Source
Laboratorium fur Organische Chemie, ETH-Honggerberg, HCI, Zurich, CH-8093, Switz.

Source
Organic & Biomolecular Chemistry (**2003**), 1(2), 237-239 CODEN: OBCRAK; ISSN: 1477-0520

Document Type
Journal

Language
English

Abstract
Synthesis of poly(triacetylene)-derived oligomers by Pd(0)-catalyzed Sonogashira and Cadiot-Chodkiewicz-type cross-coupling reactions on solid support is reported. Oligo(phenylene triacetylene)s, e.g., I[4-C6H4C.tplbond.CCR:CRC.tplbond.C]nSiMe3 (R = CH2OSiBut$Me2, n = 1, 2, 3, 4) members of a new class of linearly π-conjugated oligomers with all-C backbones, feature very high fluorescence intensities.

Hit Structure

CAS Registry Number
554459-62-0 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-7-[(trimethylsilyl)ethynyl]-, (6E)- (9CI) (CA INDEX NAME)



PAGE 1-B

CAS Registry Number
554459-63-1 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-7-[(trimethylsilyl)ethynyl]-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number

554459-64-2 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diynyl]phenyl]ethynyl]-7-[[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-71-1 CAPLUS

Chemical or Trade Name
Ethanol, 2-[3-[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-1-ethyl-2-triazen-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-72-2 CAPLUS

Chemical or Trade Name
Ethanol, 2-[3-[4-[(3E)-6-[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-1-ethyl-2-triazen-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-73-3 CAPLUS

Chemical or Trade Name
Ethanol, 2-[3-[4-[(3E)-6-[4-[(3E)-6-[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-1-ethyl-2-triazen-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C



OS.CITING REF COUNT: 19 THERE ARE 19 CAPLUS RECORDS THAT CITE THIS RECORD (19 CITINGS)

L4 ANSWER 8 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2002:658690 CAPLUS Full-text

Document Number
137:208374

Title
Manufacturing method of semiconductor device using mask pattern having high etching resistance

Author/Inventor
Ohuchi, Junko; Sato, Yasuhiko; Shiobara, Eishi; Hayashi, Hisataka; Ohiwa, Tokuhisa; Onishi, Yasunobu

Patent Assignee/Corporate Source
Kabushiki Kaisha Toshiba, Japan

Source
U.S. Pat. Appl. Publ., 26 pp. CODEN: USXXCO

Document Type
Patent

Language
English

Patent Information

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE

US 20020119612	A1	20020829	US 2001-14459	20011214
US 6576562	B2	20030610		
JP 2002305187	A	20021018	JP 2001-381504	20011214
JP 3504247	B2	20040308		

Abstract

A manufacturing method of semiconductor device comprises (1) forming a mask material having an aromatic ring and carbon content of ≥ 80 % on an object, (2) forming a mask material pattern by etching the mask material to a desired pattern, and (3) etching the object to transfer the mask material pattern as a mask to the object.

Hit Structure

CAS Registry Number
452303-35-4 CAPLUS

Chemical or Trade Name
1,1':3',1'':3'',1''':4''',1'''':3'''',1''''':4''''',1'''''':3'''''',1'''''
'':4'''''',1''''''':3''''''',1''''''':4''''''',1''''''':3'''''''
''',1''''''''':4''''''''',1'''''''''-Trideciphenyl,
4,5''-diethynyl-5''''''''''-(4'-ethynyl[1,1'-biphenyl]-4-yl)-5''''''-[3'''-
ethynyl-5'-(4'-ethynyl[1,1'-biphenyl]-4-yl)[1,1':3',1'':4'',1'''-
quaterphenyl]-4-yl]-5''''''''-[4'-ethynyl-5-[4-(4-ethynylphenyl)-3-buten-1-
ynyl][1,1'-biphenyl]-3-yl]-5''''-(3'-ethynyl-5'-methyl[1,1'-biphenyl]-4-
yl)-3'''''''''''',5',5''''''''''''-trimethyl- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B









OS.CITING REF COUNT: 8 THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD (8 CITINGS)

. L4 ANSWER 9 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2002:198497 CAPLUS Full-text

Document Number
136:401857

Title
Acetylide-Bridged Organometallic Oligomers via the Photochemical Metathesis of Methyl-Iron(II) Complexes

Author/Inventor
Field, Leslie D.; Turnbull, Anthony J.; Turner, Peter

Patent Assignee/Corporate Source
School of Chemistry, The University of Sydney, Sydney, 2006, Australia

Source
Journal of the American Chemical Society (**2002**), 124(14), 3692-3702 CODEN: JACSAT; ISSN: 0002-7863

Document Type
Journal

Language
English

Abstract
The acetylido Me iron(II) complexes, cis/trans-[Fe(dmpe)2(C.tplbond.CR)(CH3)] (1) and trans-[Fe(depe)2(C.tplbond.CR)(CH3)] (2) (dmpe = 1,2-dimethylphoshinoethane; depe = 1,2-diethylphosphinoethane), were synthesized by transmetalation from the corresponding alkyl halide complexes. Acetylido Me iron(II) complexes were also formed by transmetalation from the chloride complexes, trans-[Fe(dmpe)2(C.tplbond.CR)(Cl)] or trans-[Fe(depe)2(C.tplbond.CR)(Cl)]. The structure of trans-[Fe(dmpe)2(C.tplbond.CC6H5)(CH3)] (1a) was determined by single-crystal x-ray diffraction. The Me acetylido iron complexes, [Fe(dmpe)2(C.tplbond.CR)(CH3)] (1), are thermally stable in the presence of acetylenes; however, under UV irradiation, methane is lost with the formation of a metal bisacetylide. Photochem. metathesis of cis- or trans-[Fe(dmpe)2(CH3)(C.tplbond.CR)] (R = C6H5 (1a), 4-C6H4OCH3 (1b)) with terminal acetylenes was used to selectively synthesize unsym. substituted iron(II) bisacetylide complexes of the type trans-[Fe(dmpe)2(C.tplbond.CR)(C.tplbond.CR')] [R = Ph, R' = Ph (6a), 4-CH3OC6H4 (6b), tBu (6c), SiMe3 (6d), (CH2)4C.tplbond.CH (6e); R = 4-CH3OC6H4, R' = 4-CH3OC6H4, (6g), tBu (6h), (CH2)4C.tplbond.CH (6i), adamantyl (6j)]. The structure of the unsym. iron(II) bisacetylide complex trans-[Fe(dmpe)2(C.tplbond.CC6H5) (C.tplbond.CC6H4OCH3)] (6b) was determined by single-crystal x-ray diffraction. The photochem. metathesis of the bis-acetylene, 1,7-octadiyne, with trans-[Fe(dmpe)2(CH3)(C.tplbond.CPh)] (1a), was utilized to synthesize the bridged binuclear species trans,trans-[(C6H5C.tplbond.C)Fe(dmpe)2(μ- C.tplbond.C(CH2)4C.tplbond.C)Fe(dmpe)2(C.tplbond.CC6H5)] (11). The trinuclear species trans,trans,trans-[(C6H5C.tplbond.C)Fe(dmpe)2(μ-C.tplbond.C(CH2)4C.tplbond.C)Fe(dmpe)2(μ- C.tplbond.C(CH2)4C.tplbond.C)Fe(dmpe)2(C.tplbond.CC6H5)] (12) was synthesized by the photochem. reaction of Fe(dmpe)2(C.tplbond.CPh)(C.tplbond.C(CH2)4C.tplbond.CH) (6e) with Fe(dmpe)2(CH3)2. Extended irradiation of the bisacetylide complexes with phenylacetylene resulted in insertion of the terminal alkyne into one of the metal acetylide bonds to give acetylide butenyne complexes. The structure of the acetylide butenyne complex, trans-[Fe(dmpe)2(C.tplbond.CC6H4OCH3)(η1- C(C6H5):CH(C.tplbond.CC6H4OCH3))] (9a) was determined by single-crystal x-ray diffraction.

Hit Structure

CAS Registry Number
425380-70-7 CAPLUS

Chemical or Trade Name
Iron, bis[1,2-ethanediylbis[dimethylphosphine-κP]][(4-methoxyphenyl)ethynyl][(1E)-4-(4-methoxyphenyl)-1-phenyl-1-buten-3-ynyl]-, (OC-6-11)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



CAS Registry Number
425380-85-4 CAPLUS

Chemical or Trade Name
Iron, [(1E)-1,4-diphenyl-1-buten-3-ynyl]bis[1,2-ethanediylbis[dimethylphosphine-κP]](phenylethynyl)-, (OC-6-11)-(9CI) (CA INDEX NAME)





OS.CITING REF COUNT: 16 THERE ARE 16 CAPLUS RECORDS THAT CITE THIS RECORD (16 CITINGS)

L4 ANSWER 10 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2001:714296 CAPLUS Full-text

Document Number
136:69640

Title
Synthesis and spectroscopic studies of expanded planar dehydrotribenzo[n]annulenes containing one or two isolated alkene units

Author/Inventor
Wan, W. Brad; Chiechi, Ryan C.; Weakley, Timothy J. R.; Haley, Michael M.

Patent Assignee/Corporate Source
Department of Chemistry and the Materials Science Institute, University of Oregon, Eugene, OR, 97403-1253, USA

Source
European Journal of Organic Chemistry (**2001**), (18), 3485-3490 CODEN: EJOCFK; ISSN: 1434-193X

Document Type
Journal

Language
English

Abstract
Dehydrobenzoannulene derivs. containing isolated alkene linkages, e.g., I, were synthesized by combining an in situ Pd/Cu-mediated cross-coupling with an intramol. cyclization strategy. 1H NMR studies of these macrocycles and comparison with related systems verify that highly alkynylated dehydrobenzoannulenes possess weak induced ring currents, indicative of aromatic (4n+2 π systems) and antiarom. (4n π systems) behavior, in spite of their large size and extensive benzannulation.

Hit Structure

CAS Registry Number
214628-17-8 CAPLUS

Chemical or Trade Name
Silane, tris(1-methylethyl)[[2-[(3E)-6-[2-[4-[2-[[tris(1-methylethyl)silyl]ethynyl]phenyl]-1,3-butadiynyl]phenyl]-3-hexene-1,5-diynyl]phenyl]ethynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
214628-18-9 CAPLUS

Chemical or Trade Name
Silane, tris(1-methylethyl)[[2-[6-[2-[(3E)-6-[2-[[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diynyl]phenyl]-1,3,5-hexatriynyl]phenyl]ethynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
383404-38-4 CAPLUS

Chemical or Trade Name
Silane, [1,2-phenylenebis[(3E)-3-hexene-1,5-diyne-6,1-diyl-2,1-phenylene-2,1-ethynediyl]]bis[tris(1-methylethyl)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS)

L4 ANSWER 11 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2000:832492 CAPLUS Full-text

Document Number
134:310920

Title
Bis(enediyne) Macrocycles: Synthesis, Reactivity, and Structural Analysis

Author/Inventor
Blanchette, H. S.; Brand, S. C.; Naruse, H.; Weakley, T. J. R.; Haley, M. M.

Patent Assignee/Corporate Source
Department of Chemistry, University of Oregon, Eugene, OR, 97403-1253, USA

Source
Tetrahedron (**2000**), 56(49), 9581-9588 CODEN: TETRAB; ISSN: 0040-4020

Document Type
Journal

Language

English

Abstract

The authors describe the syntheses of five macrocycles possessing two enediyne warheads, along with the structural and thermal analyses of these bis(enediyne) compds. The solid-state packing of one of the compds. suggests the possibility for the mol. to undergo a topochem. diacetylene polymerization

Hit Structure

CAS Registry Number
335378-20-6 CAPLUS

Chemical or Trade Name
Silane, [(3Z)-3-hexene-1,5-diyne-1,6-diylbis(2,1-phenylene-2,1-ethynediyl)]bis[tris(1-methylethyl)- (9CI) (CA INDEX NAME)



CAS Registry Number
335378-30-8 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(3Z)-3-hexene-1,5-diyne-1,6-diylbis[2-ethynyl- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 19 THERE ARE 19 CAPLUS RECORDS THAT CITE THIS RECORD (20 CITINGS)

L4 ANSWER 12 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2000:767122 CAPLUS Full-text

Document Number
134:71381

Title
Synthesis and structure of a new [6.6]metacyclophane with enediyne bridges

Author/Inventor
Srinivasan, Manivannan; Sankararaman, Sethuraman; Dix, Ina; Jones, Peter G.

Patent Assignee/Corporate Source
Department of Chemistry, Indian Institute of Technology, Madras, 600 036, India

Source
Organic Letters (**2000**), 2(24), 3849-3851 CODEN: ORLEF7; ISSN: 1523-7060

Document Type
Journal

Language
English

Abstract

Synthesis and structure of a novel [6.6]metacyclophane with enediyne bridges I is reported. I was prepared by reacting 1,3-diethynylbenzene with EtMgBr/THF and DMF to give the monoaldehyde. The monoaldehyde was subsequently converted to the acetal, coupled with ClCH:CHCl to give bis-acetal, which was hydrolyzed to the dialdehyde II. II underwent McMurry coupling using TiCl3 and Zn-Cu couple in DME to give I in 69% yield.

Hit Structure

CAS Registry Number
315716-90-6 CAPLUS

Chemical or Trade Name
1,3-Dioxolane, 2,2'-[(3Z)-3-hexene-1,5-diyne-1,6-diylbis(3,1-phenylene-2,1-ethynediyl)]bis- (9CI) (CA INDEX NAME)

PAGE 1-A





CAS Registry Number
315716-91-7 CAPLUS

Chemical or Trade Name
2-Propynal, 3,3'-[(3Z)-3-hexene-1,5-diyne-1,6-diyldi-3,1-phenylene]bis-
(9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 18 THERE ARE 18 CAPLUS RECORDS THAT CITE THIS RECORD (18 CITINGS)

. L4 ANSWER 13 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1999:673316 CAPLUS Full-text

Document Number
131:337589

Title
Electronic structure of fully conjugated dendritic oligomers of β,β-dibromo-4-ethynyl styrene

Author/Inventor
Fomine, Serguei; Fomina, Lioudmila; Guadarrama, Patricia

Patent Assignee/Corporate Source
Universidad Nacional Autonoma Mexico, Inst de Investigaciones en Materiales, Coyoacan, 04510 CU, Mex.

Source
Journal of Molecular Structure: THEOCHEM (**1999**), 488, 207-216 CODEN: THEODJ; ISSN: 0166-1280

Document Type
Journal

Language
English

Abstract
Quantum-mech. calcns. of fully conjugated dendritic oligomers carried out at B3LYP/3-21G//HF/3-21G (d) and B3LYP/3-21G//PM3 levels of theory showed that loose dendritic architecture of β,β-dibromo-4-ethynyl styrene oligomers contributes little to the instability and conjugation disruption compared to 1 → 2 branched polyacetylene, while Br terminal atoms in dendrimers strongly affect the electronic d. distribution in studied mols. On the one hand the bulky bromine atoms decrease the conjugation in Br-terminated dendrimers caused by steric hindrances, on the other hand, highly polarizable bromine atoms reduced significantly adiabatic ionization potentials (IPa) to be up to 1.5 eV lower than corresponding vertical potentials (IPv). Another phenomenon contributing to the reducing of IPa's of all dendrimers is the flattening of mol. geometry accompanying the ionization thus allowing better delocalization of pos. charge over the conjugated system while all aromatic ring except the very outer layer lost their aromaticity becoming essentially quinone by nature.

Hit Structure

CAS Registry Number
206181-71-7 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-72-8 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-73-9 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis[4-(2,2-dibromoethenyl)- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-74-0 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1,3-butadiyne-1,4-diyl)bis[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-75-1 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis- (CA INDEX NAME)



CAS Registry Number
206181-76-2 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-77-3 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-78-4 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[1,3-butadiyne-1,4-diylbis[4,1-phenylene[3-[[4-[4-(4-formylphenyl)-2-[(4-formylphenyl)ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-3-buten-1-yne-4,1-diyl]-4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-79-5 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]-2-[[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)

L4 ANSWER 14 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1999:650836 CAPLUS Full-text

Document Number
132:16702

Title
Theoretical description of luminescent effects in β,β-di(4'-formylphenylethynyl)-4- ethynylstyrene

Author/Inventor
Salcedo, R.; Guadarrama, P.; Sansores, L. E.; Fomine, S.; Fomina, L.

Patent Assignee/Corporate Source
Inst. de Investigaciones en Materiales, Inst. de Investigaciones en Materiales, UNAM, Mexico, 04510, Mex.

Source
Materials Research Society Symposium Proceedings (**1999**), 560(Luminescent Materials), 359-364 CODEN: MRSPDH; ISSN: 0272-9172

Document Type
Journal

Language
English

Abstract
Theor. calcns. at HF/6-31 G(d) level were carried out on fully conjugated compds. (4-ethynylbenzaldehyde, β,β-dibromo-4-ethynylstyrene, β,β-Di(4'-formylphenylethynyl)-4-ethynylstyrene and its dimmer) to understand the source of blue emission observed in oligomers of the 1st and 2nd generation in CHCl3 solns. The frontier orbitals are distributed through the framework of the mols. (benzene rings, double and triple bonds and chromophores). Addnl., a CI approach was applied over β,β-Di(4'-formylphenylethynyl)-4-ethynylstyrene (compound 3) at CIS/6-31 G(d) level to modeling excited states and simulate the UV-visible spectrum exptl. obtained. Calculated transitions corresponded to S0→S1 which are, presumably, responsible for the fluorescence observed

Hit Structure

CAS Registry Number
206181-75-1 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis- (CA INDEX NAME)



CAS Registry Number
251479-84-2 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[1,3-butadiyne-1,4-diylbis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

L4 ANSWER 15 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1998:756297 CAPLUS Full-text

Document Number
130:118607

Title
Porphyrin-[(E)-1,2-diethynylethene] scaffolding. Synthesis and optical and electrochemical properties of multinanometer-sized porphyrin arrays

Author/Inventor
Wytko, Jennifer; Berl, Volker; McLaughlin, Mark; Tykwinski, Rik R.; Schreiber, Martin; Diederich, Francois; Boudon, Corinne; Gisselbrecht, Jean-Paul; Gross, Maurice

Patent Assignee/Corporate Source
Laboratorium Organische Chemie, ETH-Zentrum, Zurich, CH-8092, Switz.

Source
Helvetica Chimica Acta (1998), 81(11), 1964-1977 CODEN: HCACAV; ISSN: 0018-019X

Document Type
Journal

Language
English

Abstract
Two series of linearly conjugated hybrid materials, consisting of (E)-1,2-diethynylethene (DEE; hex-3-ene-1,5-diyne) and Zn(II) porphyrin components, were prepared by Pd0-catalyzed cross-coupling reactions. In 1 series, 1 or 2 DEE substituents were introduced into the meso-positions of the Zn(II) porphyrins, leading from Zn 5,15-bis[[(ethoxycarbonyl)propoxy]phenyl]porphinate (1) to I and II (n = 1; R = SiMe2tBu). The second series contains the linearly π-conjugated mol. rods III (n = 1-3) that span a length range from 23 Å for III (n = 1) to 53 Å for III (n = 3). The larger rods III (n = 2 and 3) consist of 2 or 3 porphyrin moieties, resp., that are bridged at the meso-positions by trans-enediynediyl (hex-3-ene-1,5-diyne-1,6-diyl) linkers. The UV/VIS spectra in the series I, II, and III (n = 1) showed a strong bathochromic shift of both Soret and Q bands of the Zn(II) porphyrin as a result of the addition of DEE substituents. Upon changing from I to II, the Q band was further bathochromically shifted, whereas the Soret band remained nearly at the same position but became broadened and displayed a shoulder on the lower-wavelength edge as a result of excitonic coupling. The close resemblance between the UV/Vis spectra of III (n = 2 and 3) suggests that saturation of the optical properties in the oligomeric series already occurs at the stage of dimeric III (n = 2). Stationary voltammetric investigations showed that the DEE substituents act as strong electron acceptors which induce large anodic shifts in the 1st reduction potential upon changing from I to II (ΔE = 190 mV) and to III (n = 1) (ΔE = 340 mV). Increasing the number of porphyrin moieties upon changing from III (n = 1) to III (n = 2) had no effect on the 1st reduction potential yet the 1st oxidation potential was substantially lowered (ΔE = 110 mV). Large differences in the potentials for 1-electron oxidation of the 2 porphyrin moieties in III (n = 2) (ΔE = 200 mV) confirmed the existence of substantial electronic communication between the 2 macrocycles across the trans-enediynediyl bridge.

Hit Structure

CAS Registry Number
219483-19-9 CAPLUS

Chemical or Trade Name
Zinc, [μ-[[tetraethyl 4,4',4'',4'''-[[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyne-1,6-diyl]bis[[20-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diynyl]-21H,23H-porphine-10,5,15-triyl-κN21,κN22,κN23,κN24]-4,1-phenyleneoxy]]tetrakis[butanoato]](4-)]]di- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 2-A

PAGE 2-B



OS.CITING REF COUNT: 45 THERE ARE 45 CAPLUS RECORDS THAT CITE THIS RECORD (45 CITINGS)

L4 ANSWER 16 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1998:606810 CAPLUS Full-text

Document Number
129:302407

Title
Synthesis of expanded planar dehydrobenzoannulenes: weakly diatropic, weakly paratropic, or atropic?

Author/Inventor
Wan, W. Brad; Kimball, David B.; Haley, Michael M.

Patent Assignee/Corporate Source
Department of Chemistry, University of Oregon, Oregon, 97403-1253, USA

Source
Tetrahedron Letters (1998), 39(38), 6795-6798 CODEN: TELEAY; ISSN: 0040-4039

Document Type
Journal

Language
English

Abstract
Use of a Cu/Pd cross-coupling strategy has led to the synthesis of the first dehydrobenzoannulenes I [X = C.tplbond.C, (E)-CH:CH; n = 0,1] containing triacetylenic linkages. NMR studies of these macrocycles and comparison with other known systems indicate that, in spite of their large size and extensive benzannelation, dehydrobenzoannulenes possess weak induced ring currents.

Hit Structure

CAS Registry Number
214628-17-8 CAPLUS

Chemical or Trade Name
Silane, tris(1-methylethyl)[[2-[(3E)-6-[2-[4-[2-[[tris(1-methylethyl)silyl]ethynyl]phenyl]-1,3-butadiynyl]phenyl]-3-hexene-1,5-diyn]phenyl]ethynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
214628-18-9 CAPLUS

Chemical or Trade Name
Silane, tris(1-methylethyl)[[2-[6-[2-[(3E)-6-[2-[[tris(1-methylethyl)silyl]ethynyl]phenyl]-3-hexene-1,5-diynyl]phenyl]-1,3,5-hexatriynyl]phenyl]ethynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 26 THERE ARE 26 CAPLUS RECORDS THAT CITE THIS RECORD (27 CITINGS)

. L4 ANSWER 17 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
1998:269262 CAPLUS Full-text
Document Number
128:257221
Title
Steric Hindrance Facilitated Synthesis of Enynes and Their Intramolecular [4 + 2] Cycloaddition with Alkynes
Author/Inventor
Gonzalez, Juan J.; Francesch, Andres; Cardenas, Diego J.; Echavarren, Antonio M.
Patent Assignee/Corporate Source
Departamento de Quimica Organica, Universidad Autonoma de Madrid, Madrid, 28049, Spain
Source
Journal of Organic Chemistry (**1998**), 63(9), 2854-2857 CODEN: JOCEAH; ISSN: 0022-3263
Document Type
Journal
Language
English
Abstract
The palladium-catalyzed insertion of 1-alkynes into internal alkynes which are bent out of linearity by the interference with a peri or ortho substituent led to enynes regioselectively. The resulting enynes undergo a new type of intramol. thermal cycloaddn., which can be used for the annulation of an aryl ring onto naphthalene derivs. to afford fluranthenes. The cyclization of (E)-1-(1-buten-3-ynyl)-8- ethynylnaphthalene could also be performed in the presence of a Cu(I) catalyst at room temperature
Hit Structure

CAS Registry Number
205124-39-6 CAPLUS

Chemical or Trade Name
4-Pentyn-2-ol, 2-methyl-5-(4-methylphenyl)-3-[[8-[2-(4-methylphenyl)ethynyl]-1-naphthalenyl]methylene]-, (3Z)- (CA INDEX NAME)



OS.CITING REF COUNT: 23 THERE ARE 23 CAPLUS RECORDS THAT CITE THIS RECORD (23 CITINGS)

. L4 ANSWER 18 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
1998:247633 CAPLUS Full-text
Document Number
128:295129
Title
Synthesis and characterization of well-defined fully conjugated hyperbranched oligomers of β,β-dibromo-4-ethynylstyrene
Author/Inventor
Fomina, Lioudmila; Guadarrama, Patricia; Fomine, Serguei; Salcedo, Roberto; Ogawa, Takeshi
Patent Assignee/Corporate Source
Instituto Investigaciones Materiales, Univ. Nacional Autonoma de Mexico, Mexico, 04510, Mex.
Source
Polymer (**1998**), 39(12), 2629-2635 CODEN: POLMAG; ISSN: 0032-3861
Document Type
Journal
Language
English
Abstract
Well-defined dendritic oligomers of poly(β,β-dibromo-4-ethynylstyrene) of the first and second generation were synthesized by a stepwise synthesis, and characterized. NMR and theor. calcns. showed that free rotation around formal single bonds is hampered by conjugation. All of the oligomers were blue emitters with their emission maxima correlating with the number of repeating units. All dendrimers except β,β-bis[β',β'-di(β",β"- dibromostyryl-4"-ethynyl)styryl-4'-ethynyl]-4-ethynylstyrene showed two maxima in the excitation spectra.
Hit Structure

CAS Registry Number
206181-71-7 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-72-8 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-73-9 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis[4-(2,2-dibromoethenyl)- (9CI) (CA INDEX NAME)



CAS Registry Number
206181-74-0 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1,3-butadiyne-1,4-diyl)bis[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-75-1 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis- (CA INDEX NAME)



CAS Registry Number
206181-76-2 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[(trimethylsilyl)ethynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-77-3 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[(4-ethynylphenyl)methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-78-4 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[1,3-butadiyne-1,4-diylbis[4,1-phenylene[3-[[4-[4-(4-formylphenyl)-2-[(4-formylphenyl)ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-3-buten-1-yne-4,1-diyl]-4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
206181-79-5 CAPLUS

Chemical or Trade Name
Silane, [[4-[4-[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]-2-[[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]trimethyl- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS)

L4 ANSWER 19 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
1996:303100 CAPLUS Full-text
Document Number
125:11582
Title
Synthesis and polymerization of β,β-dibromo-4-ethynylstyrene; preparation of a new polyconjugated, hyperbranched polymer
Author/Inventor
Fomina, Lioudmila; Salcedo, Roberto

Patent Assignee/Corporate Source
Inst. Investigaciones Materiales, Circuito Exterior, Ciudad Univ., Mexico City, 04510, Mex.
Source
Polymer (**1996**), 37(9), 1723-1728 CODEN: POLMAG; ISSN: 0032-3861
Document Type
Journal
Language
English
Abstract
The monomer, β,β-dibromo-4-ethynylstyrene, was prepared and polymerized by the Heck reaction to give a partially soluble, conjugated hyperbranched polymer. The polymer structure was elucidated using standard spectroscopic techniques and with the aid of model compound synthesis. Theor. calcns. using the AM1 method were carried out and showed that conjugation in the polymer is partially disrupted by twisting of the benzene rings. Both the model compound and the polymer showed luminescence.
Hit Structure

CAS Registry Number
177410-40-1 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1,3-butadiyne-1,4-diyl)bis[4-[4-phenyl-2-(phenylethynyl)-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 16 THERE ARE 16 CAPLUS RECORDS THAT CITE THIS RECORD (16 CITINGS)

L4 ANSWER 20 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
1995:946580 CAPLUS Full-text
Document Number
124:9540
Title
Novel polymers containing discrete conjugated units, produced by the Heck reaction
Author/Inventor
Fomine, Sergei; Fomina, Lioudmila; Florentino, Hector Quiroz; Mendez, Juan Manuel; Ogawa, Takeshi
Patent Assignee/Corporate Source
Instituto de Investigaciones en Materiales, Universidad Nacional Autonoma de Mexico, Covoacon, 04510, Mex.
Source
Polymer Journal (Tokyo) (**1995**), 27(11), 1085-93 CODEN: POLJB8; ISSN: 0032-3896
Document Type
Journal
Language
English
Abstract
Novel monomers and polymers containing arylenevinylideneethynylene groups were synthesized via the Heck reaction. The polymers were amorphous and soluble in common organic solvents. They have Tg .apprx.60°, 5% weight loss at 240-340° and undergo thermal crosslinking at 170-190° with loss of triple bonds. One of the polymers exhibits strong blue luminescence with emission maxima .apprx.380-390 and 470-480 nm with excitation at 320 nm. All polymers show 3rd order NLO susceptibility .apprx.10-10 esu.
Hit Structure

CAS Registry Number
171296-95-0 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4-[2-[4-[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]phenyl]ethynyl]- (CA INDEX NAME)



CAS Registry Number
171296-96-1 CAPLUS

Chemical or Trade Name
Benzene, 1-[2-[4-(2,2-dibromoethenyl)phenyl]ethynyl]-4-[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
171296-99-4 CAPLUS

Chemical or Trade Name
Decanedioic acid, di-2-propynyl ester, polymer with 1-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-4-[4-phenyl-2-(phenylethynyl)-1-

buten-3-ynyl]benzene (9CI) (CA INDEX NAME)

CM
1

CRN 171296-96-1
CMF C34 H20 Br2



CM
2

CRN 93164-22-8
CMF C16 H22 O4



CAS Registry Number
171297-02-2 CAPLUS

Chemical or Trade Name
Benzene, 1-ethynyl-4-[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]-
(CA INDEX NAME)



OS.CITING REF COUNT: 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS)

L4 ANSWER 21 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1995:642218 CAPLUS Full-text

Document Number
123:33763

Title
Synthesis and molten-state polymerization of some novel conjugated diacetylenes

Author/Inventor
Fomina, Lioudmila; Allier, Hector; Fomine, Sergei; Salcedo, Roberto; Ogawa, Takeshi

Patent Assignee/Corporate Source
Inst. Investigaciones Materiales, Ciudad Univ., Mexico, 04510, Mex.

Source
Polymer Journal (Tokyo) (**1995**), 27(6), 591-600 CODEN: POLJB8; ISSN: 0032-3896

Document Type
Journal

Language
English

Abstract
A series of new, highly conjugated diacetylenes, 4-ethynylstilbene derivs., was synthesized and their polymerization was studied. None of them was found to undergo topochem. polymerization in the solid state but they readily polymerized in the molten state to give red transparent and amorphous polymers. All the polymers had an absorption maximum in the visible spectra around 500 nm, and FT-IR data showed the enyne structure of the polymer chain resulted from 1,4-addition

Hit Structure

CAS Registry Number
164467-30-5 CAPLUS

Chemical or Trade Name
Benzene, 1-[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]-4-[2-(trimethylsilyl)ethynyl]- (CA INDEX NAME)



CAS Registry Number
164467-25-8 CAPLUS

Chemical or Trade Name
3,5-Hexadiyn-1-ol, 6-[4-[4-phenyl-2-(phenylethynyl)-1-buten-3-ynyl]phenyl]-, homopolymer (9CI) (CA INDEX NAME)

CM
1

CRN 164467-20-3
CMF C30 H20 O



CAS Registry Number
164467-20-3 CAPLUS

Chemical or Trade Name
3,5-Hexadiyn-1-ol, 6-[4-[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]phenyl]- (CA INDEX NAME)



OS.CITING REF COUNT: 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS)

L4 ANSWER 22 OF 22 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1994:522234 CAPLUS Full-text

Document Number
121:122234

Title
Difluoride derivative and liquid crystal composition containing the same

Author/Inventor
Yokokoji, Osamu; Irisawa, Jun; Koh, Hidemasa

Patent Assignee/Corporate Source

Asahi Glass Co., Ltd., Japan

Source

PCT Int. Appl., 43 pp. CODEN: PIXXD2

Document Type

Patent

Language

Japanese

Patent Information

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9405613	A1	19940317	WO 1993-JP1235	19930901
EP 628528	A1	19941214	EP 1993-919602	19930901
JP 06263661	A	19940920	JP 1993-219709	19930903
JP 3564711	B2	20040915		
US 5419851	A	19950530	US 1994-211625	19940420
JP 2004292454	A	20041021	JP 2004-115211	20040409
JP 3707493	B2	20051019		

Abstract

Difluoride derivs. represented by the general formula: R1(A1Y1)mA2CF:CFC.tplbond.CA3(Y2A4)nR2 (A1 - A4 = trans-1,4-cyclohexylene, 1,4-cyclohexenylene, or 1,4-phenylene wherein ≥1 CH groups of each ring may be substituted by N or ≥1 CH2 groups of the ring may be substituted by O or S; m, n = 0, 1; R1, R2 = C1-10 alkyl, halo, cyano wherein (1) O, CO2, or O2C may be inserted between the C-C bond of alkyl or that between alkyl and ring, (2) a part of the C-C bonds in alkyl is replaced by C:C or C.tplbond.C bond, or (3) one CH2 group in alkyl is replaced by CO group; Y1, Y2 = CO2, O2C, C.tplbond.C, CH2CH2, CH:CH, OCH2, CH2O) are prepared These compds. have low viscosity, are light-stable, and hence can provide a liquid crystal composition having high response speed. Thus, 0.1 mol ClCF:CF2 was blown into THF at -100° followed by adding dropwise 62.1 mL 1.61 M BuLi/hexane, stirring for 30 min, adding dropwise 0.1 mol Me3SiCl, stirring for 1 h, adding dropwise a solution of 4-propylphenyl lithium in THF (prepared from 4-propyliodobenzene and BuLi) at -100°, and stirring for 2 h at 0° to give 75% (Z)-4-PrC6H4CF:CFSiMe3. The latter compound (0.075 mol) was reacted with 0.15 mol KF in aqueous MeCN at 70° for 1 h to give 83% (E)-4-PrC6H4CF:CFH which (0.062 mol) was dissolved in THF, cooled to -78°, and treated dropwise with 38.5 mL 1.61 M BuLi/hexane followed by stirring for 30 min, adding 15.7 g iodine, and stirring at room temperature for 4 h to give 83% (E)-4-PrC6H4CF:CFI. The latter compound (0.051 mol) and 0.051 mol 4-propylphenylacetylene were dissolved in 100 mL Et3N followed by adding Pd(PPh3)2Cl2 and CuI and the resulting mixture was allowed to react at room temperature for 6 h to give 70% diphenyldifluorobutenyne derivative (I). A STN-type liquid crystal display device was prepared from a liquid composition containing 20 weight% I and 80 weight% ZLI-1565 and irradiated with a UV carbon arc lamp for 200 h; new compds. were hardly formed whereas cis-4,4'-bis(n-propyl)difluorostilbene was formed in a liquid crystal composition containing ZLI-1565 and trans-4,4'-bis(n-propyl)difluorostilbene.

Hit Structure

CAS Registry Number
156869-08-8 CAPLUS

Chemical or Trade Name
Benzene, 1-[1,2-difluoro-4-(4-propylphenyl)-1-buten-3-ynyl]-4-[(4-methylphenyl)ethynyl]-, (E)- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (5 CITINGS)

=>



chain nodes :
1 2 3 4 5 6 7 8 9 11 15 16 17 18 19
chain bonds :
1-2 1-11 2-3 3-4 4-5 5-6 6-7 7-8 8-9 9-15 15-16 16-17 17-18 18-19
exact/norm bonds :
1-11 6-7 7-8 18-19
exact bonds :
1-2 2-3 3-4 4-5 5-6 8-9 9-15 15-16 16-17 17-18

G1:Cb,Cy,Hy

G2:C,H,Si,Cb,Cy,Hy

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:Atom 8:CLASS 9:CLASS 11:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:Atom

```
L5      STRUCTURE UPLOADED

=> s l5 sss full
FULL SEARCH INITIATED 12:52:31 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -    12029 TO ITERATE

100.0% PROCESSED    12029 ITERATIONS                          72 ANSWERS
SEARCH TIME: 00.00.01

L6           72 SEA SSS FUL L5

=> s l6
L7          23 L6

=> l7 and (py<=2004 or ay<=2004)
      25158915 PY<=2004
       5170681 AY<=2004
L8          14 L7 AND (PY<=2004 OR AY<=2004)

=> d ibib abs hitstr l-
YOU HAVE REQUESTED DATA FROM 14 ANSWERS - CONTINUE? Y/(N):y
```

L8 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2005:34387 CAPLUS Full-text

Document Number
142:135171

Title
Liquid crystalline compound having perfluoroalkyl side chains, liquid crystal composition containing these compounds and their polymers

Author/Inventor
Sasada, Yasuyuki; Yanai, Motoki

Patent Assignee/Corporate Source
Chisso Petrochemical Corporation, Japan; Chisso Corporation

Source
U.S. Pat. Appl. Publ., 56 pp. CODEN: USXXCO

Document Type
Patent

Language
English

Patent Information

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 20050007541	A1	20050113	US 2004-873280	20040623
US 7070838	B2	20060704		
JP 2005035985	A	20050210	JP 2004-183449	20040622

Abstract
Liquid crystalline compds. I [P = CX22:CX1CO2, Q1, CX22:CX2O, p-CX22:CX2COC6H4, or Q2; A1 = 1,4-cyclohexenylene, 1,4-phenylene, naphthalene-2,6-diyl, tetrahydronaphthalene-2,6-diyl, fluorene-2,7-diyl, or bicyclo[2.2.2]octane-1,4-diyl, where any CH2 of these rings is optionally replaced by O, any CH: is optionally replaced by N:, and any H is optionally replaced by halo, C1-5 alkyl, or halogenated alkyl; Z1 = single bond, CH2CH2, CF2CF2, (CH2)4, CH2O, OCH2, CO2, OCO, CH:CH, CF:CF, C.tplbond.C, C.tplbond.CCO2, OCOC.tplbond.C, CH:CHCO2, OCOCH:CH, CH2CH2CO2, OCOCH2CH2, C.tplbond.CCH:CH, CH:CHC.tplbond.C, OCF2, or CF2; Z2 = single bond or C1-20 alkylene, where any CH2 is optionally replaced by O, S, CO2, or OCO; X1 = H, halo, CF3 or C1-5 alkyl, X2 = H, halo, or C1-5 alkyl; m, n = 0-2; m + n ≤ 4; p = 2 or 3; q = 0 or 1; when Z1 is C.tplbond.C, P = Q1, CX22:CX2O, p-CX22:CX2COC6H4] are prepared. The invention further provides for polymerization of a composition containing ≥1 of I to give a film, an optical anisotropic material, a 1/4 or 1/2 wavelength functional plate, an optical compensation element, an optical element or a liquid crystal display element. A typical liquid crystalline compound (II) was manufactured by esterification of 2-(trifluoromethyl)-1,4-dihydroxybenzene with 4-[6-(acryloyloxy)hexyloxy]benzoic acid in THF in the presence of 4-dimethylaminopyridine and 1-ethyl-3-(3-dimethylaminopropyl)carbodiimide overnight. A typical liquid crystalline polymer was manufactured by photopolymn. of 80 parts II in a mixture containing 4-(trans-4-propylcyclohexyl)cyanobenzene 5, 4-(trans-4-pentylcyclohexyl)cyanobenzene 5, 4-(trans-4-heptylcyclohexyl)cyanobenzene 5, and 4'-(trans-4-heptylcyclohexyl)-4-cyano-1,1'-biphenyl 5 parts in the presence of Irgacure 907 as a film on a polyimide alignment film attached to a glass substrate.

Hit Structure

CAS Registry Number
1056056-84-8 CAPLUS

Chemical or Trade Name
INDEX NAME NOT YET ASSIGNED

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 3 THERE ARE 3 CAPLUS RECORDS THAT CITE THIS RECORD (3 CITINGS)

L8 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:566840 CAPLUS Full-text

Document Number
141:261152

Title
π-Conjugated Dendrimers Based on Bis(enediynyl)benzene Units

Author/Inventor
Hwang, Gil Tae; Kim, Byeang Hyean

Patent Assignee/Corporate Source

National Research Laboratory, Department of Chemistry, Division of Molecular and Life Sciences, Pohang University of Science and Technology, Pohang, 790-784, S. Korea

Source

Organic Letters (**2004**), 6(16), 2669-2672 CODEN: ORLEF7; ISSN: 1523-7060

Document Type

Journal

Language

English

Abstract

We have synthesized a new family of π-conjugated dendrimers that are based on bis(enediynyl)benzene units by using both divergent and convergent approaches. The compds. at all three generations have strong bluish-green fluorescence, especially the third-generation dendrimer, which has the highest extinction coefficient and quantum efficiency in this series.

Hit Structure

CAS Registry Number
754233-15-3 CAPLUS

Chemical or Trade Name
Benzene, 1,4-bis[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
754233-16-4 CAPLUS

Chemical or Trade Name
Benzene, 1,4-bis[4-[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]-2-[[4-[4-[4-(2,2-dibromoethenyl)phenyl]-2-[[4-(2,2-dibromoethenyl)phenyl]ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A





CAS Registry Number
754233-17-5 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[3-[[4-[4-(4-formylphenyl)-2-[(4-formylphenyl)ethynyl]-1-buten-3-ynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
754233-18-6 CAPLUS

Chemical or Trade Name
Benzaldehyde, 4,4'-[[3-[[4-[4-[4-[4-(4-formylphenyl)-2-[(4-formylphenyl)ethynyl]-1-buten-3-ynyl]phenyl]-2-[[4-[4-(4-formylphenyl)-2-[(4-formylphenyl)ethynyl]-1-buten-3-ynyl]phenyl]ethynyl]-1-buten-3-ynyl]phenyl]methylene]-1,4-pentadiyne-1,5-diyl]bis[4,1-phenylene[3-[(4-formylphenyl)ethynyl]-3-buten-1-yne-4,1-diyl]]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 17 THERE ARE 17 CAPLUS RECORDS THAT CITE THIS RECORD (17 CITINGS)

. L8 ANSWER 3 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:480115 CAPLUS Full-text

Document Number
141:190674

Title
Synthesis of Conjugated Oligomers Having Aromatic and Enediyne Units Alternately in the Backbone that Show Intense Fluorescence Emission

Author/Inventor
Nakano, Yuuki; Ishizuka, Kenichi; Muraoka, Kenji; Ohtani, Hiroyuki; Takayama, Yuuki; Sato, Fumie

Patent Assignee/Corporate Source
Department of Biomolecular Engineering, Tokyo Institute of Technology, Midori, Yokohama, Kanagawa, 226-8501, Japan

Source
Organic Letters (**2004**), 6(14), 2373-2376 CODEN: ORLEF7; ISSN: 1523-7060

Document Type
Journal

Language
English

Abstract
Synthesis and fluorescence properties of π-conjugated compds. I (n = 1 - 3; X = 1,4-phenylene, 2,5-pyridine, 2,5-thiophene; R = n-Pr, n-Bu) having alternately an aromatic or heteroarom. ring and an enediyne unit in the backbone are described.

Hit Structure

CAS Registry Number
740810-62-2 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[4-[(3E)-3-propyl-4-[[4-[(3E)-3-propyl-4-[[4-[[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-65-5 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-[6-[2-[tris(1-methylethyl)silyl]ethynyl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-68-8 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[5-[(3E)-3-propyl-4-[[5-[(3E)-3-propyl-4-[[5-[[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]-2-thienyl]ethynyl]-3-hepten-1-yn-1-yl]-2-thienyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
740810-63-3 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 2-methyl-4-[4-[(3E)-3-propyl-4-[[4-[(3E)-3-propyl-4-[[4-[(3E)-3-propyl-4-[[4-[[tris(1-methylethyl)silyl]ethynyl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]ethynyl]-3-hepten-1-yn-1-yl]phenyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C

CAS Registry Number
740810-66-6 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-[6-[(3E)-3-butyl-4-[2-[6-[2-[tris(1-methylethyl)silyl]ethynyl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]ethynyl]-3-hepten-1-yn-1-yl]-3-pyridinyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C

CAS Registry Number
740810-69-9 CAPLUS

Chemical or Trade Name
3-Butyn-2-ol, 4-[5-[(3E)-4-[2-[5-[(3E)-5-ethyl-4-[2-[5-[(3E)-5-ethyl-3-propyl-4-[2-[5-[2-[tris(1-methylethyl)silyl]ethynyl]-2-thienyl]ethynyl]-3-penten-1-yn-1-yl]-2-thienyl]ethynyl]-3-propyl-3-penten-1-yn-1-yl]-2-thienyl]ethynyl]-3-propyl-3-hepten-1-yn-1-yl]-2-thienyl]-2-methyl- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C

OS.CITING REF COUNT: 23 THERE ARE 23 CAPLUS RECORDS THAT CITE THIS RECORD (24 CITINGS)

. L8 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2004:328526 CAPLUS Full-text

Document Number
141:54000

Title
Solid-phase synthesis of oligo(triacetylene)s and oligo(phenylenetriacetylene)s employing Sonogashira and Cadiot-Chodkiewicz-type cross-coupling reactions

Author/Inventor
Utesch, Nils F.; Diederich, Francois; Boudon, Corinne; Gisselbrecht, Jean-Paul; Gross, Maurice

Patent Assignee/Corporate Source
Laboratorium fuer Organische Chemie, ETH-Hoenggerberg, HCI, Zurich, CH-8093, Switz.

Source
Helvetica Chimica Acta (**2004**), 87(3), 698-718 CODEN: HCACAV; ISSN: 0018-019X

Document Type
Journal

Language
English

Abstract
The polymer-supported synthesis of poly(triacetylene)-derived monodisperse oligomers is described, using Pd0-catalyzed Sonogashira and Cadiot-Chodkiewicz-type cross-couplings as the key steps in the construction of the acetylenic scaffolds. Merrifield resin functionalized with a 1-(4-iodoaryl)triazene linker was chosen as the polymeric support. The linker selection was made based on the results of several model studies in the liquid phase. For the solid-support synthesis of p-I[C6H4C.tplbond.CC(CH2OSiMe2CMe3):C(CH2OSiMe2CMe3)C.tplbond.C]nSiMe3 [I, n = 2-4] a set of only three reactions was required: (i) Pd0-catalyzed Sonogashira cross-coupling, (ii) Me3Si-alkyne deprotection by protodesilylation, and (iii) cleavage of the linker with liberation of I. The longest-wavelength absorption maxima of I [n = 1-4] shift bathochromically with increasing oligomeric length, from λmax 337 nm (I, n = 1) to 384 nm (I, n = 4). Based on the electronic absorption data, the effective conjugation length (ECL) of the oligo(phenylene triacetylene)s is estimated to involve at least four monomer units and 40 C-atoms. π-Electron conjugation in these oligomers is less efficient than in Me3Si[C6H4C.tplbond.CC(CH2OSiMe2CMe3):C(CH2OSiMe2CMe3)C.tplbond.C] nSiMe3 (II) due to poor transmittance of π-electron delocalization by the Ph rings inserted into the oligomeric backbone. Similar conclusions were drawn from the electrochem. properties of the two oligomeric series as determined by cyclic (CV) and rotating-disk voltammetry. In sharp contrast to II, I are strongly fluorescent, with the highest quantum yield ΦF = 0.69 measured for I [n = 3]. Whereas the Sonogashira cross-coupling on solid support proceeded smoothly, optimal conditions for alkyne-alkyne cross-coupling reactions employing Pd0-catalyzed Cadiot-Chodkiewicz conditions still remain to be developed.

Hit Structure

CAS Registry Number
554459-63-1 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-7-[(trimethylsilyl)ethynyl]-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-64-2 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diynyl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diynyl]phenyl]ethynyl]-7-[[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diynyl]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
704916-29-0 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6,6'-(1,4-phenylenedi-2,1-ethynediyl)bis[7-[(4-iodophenyl)ethynyl]-2,2,3,3,10,10,11,11-octamethyl-, (6E,6'E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 8 THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD (8 CITINGS)

L8 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
2003:827385 CAPLUS Full-text
Document Number
140:59755
Title
Synthesis and reactivity of dinuclear rhodium complexes with Rh:C:CHR and Rh:C:C:CRR' units as building blocks
Author/Inventor

Callejas-Gaspar, Berta; Laubender, Matthias; Werner, Helmut

Patent Assignee/Corporate Source

Institut fuer Anorganische Chemie der Universitaet Wuerzburg, Wuerzburg, D-97074, Germany

Source

Journal of Organometallic Chemistry (**2003**), 684(1-2), 144-152 CODEN: JORCAI; ISSN: 0022-328X

Document Type

Journal

Language

English

Abstract

The reaction of [Rh{κ2-O2S(O)CF3}(PiPr3)2] (1) with ethynylferrocene in the presence of KF affords the substituted vinylidene complex trans-[RhF{:C:CH(C5H4)Fe(C5H5)}(PiPr3)2] (2) which upon treatment with the butadiyne derivative Ph3SnC.tplbond.C-C.tplbond.CSnPh3 produces the chain-like compound trans-[{μ-C.tplbond.C- C.tplbond.C}Rh(:C:CH(C5H4)Fe(C5H5))(PiPr3)2] (7). The triflato complex 1 reacts with 1,4-C6H4(C.tplbond.CH)2 to give the dinuclear compound trans-[{μ-1,4-C6H4(CH:C:)2}Rh(η1-OS(O)2CF3)(PiPr3)2] (3) which in the presence of KF undergoes a ligand exchange to give the corresponding difluoro derivative trans-[{μ-1,4-C6H4(CH:C:)2}{RhF(PiPr3)2}2] (4). From 4 and RC.tplbond.CSnPh3 (R = CH3, C6H5) the complexes trans-[{μ-1,4- C6H4(CH:C:)2}{Rh(C.tplbond.CR)(PiPr3)2}2] (5) and (6), in which a C6H4 unit bridges two alkynyl(vinylidene)rhodium(I) fragments, are obtained. Both 6 and 7 react with CO by migratory insertion of the vinylidene units into the alkynyl-metal bonds to afford the dinuclear complexes trans-[{μ-(Z,Z)-C(:CH(C5H4)Fe(C5H5))}{Rh(CO)(PiPr3)2}2] (8) and trans-[{μ-(Z,Z)-C(C.tplbond.CPh):CHC6H4CH:C(C.tplbond.CPh)}{Rh(CO)(PiPr 3)2}2] (9), in which an unusual C8 or C4(C6H4)C4 chain bridges the two rhodium centers. The reactions of [RhCl(PiPr3)2]2 (10) with the functionalized diynes 1,1',4,4'-C6H4(OH)2(C.tplbond.CH)2 and 1,4-C6H4[C(Ph)(OH)C.tplbond.CH]2 lead, via the corresponding diyne-metal species (11) and (12) as intermediates, to the formation of the bis(vinylidene) complexes (13) and (14), the latter of which reacts with acidic Al2O3 by elimination of water to give the novel phenylene-bridged bis(allenylidenerhodium) compound [{μ-1,4- C6H4(CPh:C:C:)2}{RhCl(PiPr3)2}2] (15) in 80% yield.

Hit Structure

CAS Registry Number
639078-96-9 CAPLUS

Chemical or Trade Name
Rhodium, dicarbonyl[μ-[1,4-phenylenebis[(1Z)-1-(phenylethynyl)-2,1-ethenediyl]]]tetrakis[tris(1-methylethyl)phosphine]di-, stereoisomer (9CI)
(CA INDEX NAME)



OS.CITING REF COUNT: 18 THERE ARE 18 CAPLUS RECORDS THAT CITE THIS RECORD (18 CITINGS)

L8 ANSWER 6 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number

2003:648967 CAPLUS Full-text

Document Number

139:308866

Title

Synthesis and photophysical studies of bis-enediynes as tunable fluorophores

Author/Inventor

Hwang, Gil Tae; Son, Hyung Su; Ku, Ja Kang; Kim, Byeang Hyean

Patent Assignee/Corporate Source

National Research Laboratory, Center for Integrated Molecular Systems, Department of Chemistry, Division of Molecular and Life Sciences, Pohang University of Science and Technology, Pohang, 790-784, S. Korea

Source

Journal of the American Chemical Society (**2003**), 125(37), 11241-11248 CODEN: JACSAT; ISSN: 0002-7863

Document Type

Journal

Language

English

Abstract

We have synthesized a family of bis-enediynes by two complementary Pd/Cu-catalyzed Sonogashira cross-coupling methods. One is a modified Sonogashira reaction between a TMS-protected tetraalkyne and various aromatic bromides to afford bis-enediynes bearing different peripheral aryl units. The other, the reaction of bifunctional 1,1-dibromo-1-alkenes with phenylacetylene, afforded a series of bis-enediynes bearing various core aryl groups. These chemical modifications to the core and periphery of bis-enediynes induce dramatic changes in absorption and emission spectra. Bis-enediynes with peripheral aryl groups show a large Stokes shift of about 50-110 nm when compared to the less-conjugated TMS-protected bis-enediynes. Absorptions and emissions of other bis-enediynes were red-shifted relative to those of (4-phenyl-2-phenylethynyl-1-buten-3- ynyl)benzene. Substantial increases in fluorescence quantum yields are observed as a result of extending the π-conjugation. The emission wavelength of the bis-enediynes was tailored from indigo blue to reddish-orange, suggesting that the color of emission can be tunable by modification of the core and/or peripheral units.

Hit Structure

CAS Registry Number
360549-89-9 CAPLUS

Chemical or Trade Name
Benzene, 1,4-bis[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
360549-90-2 CAPLUS

Chemical or Trade Name

Thiophene, 2,2'-[1,4-phenylenebis[3-(2-thienylethynyl)-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
360549-91-3 CAPLUS

Chemical or Trade Name
2-Furancarboxaldehyde, 5,5'-[1,4-phenylenebis[3-[(5-formyl-2-furanyl)ethynyl]-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
360549-92-4 CAPLUS

Chemical or Trade Name
2-Thiophenecarboxaldehyde, 5,5'-[1,4-phenylenebis[3-[(5-formyl-2-thienyl)ethynyl]-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
360549-93-5 CAPLUS

Chemical or Trade Name
Pyridine, 4,4'-[1,4-phenylenebis[3-(4-pyridinylethynyl)-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number

360549-94-6 CAPLUS

Chemical or Trade Name
Thiophene, 2,5-bis[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
360549-95-7 CAPLUS

Chemical or Trade Name
Thiophene, 2,5-bis[4-(2-thienyl)-2-[2-(2-thienyl)ethynyl]-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
360549-96-8 CAPLUS

Chemical or Trade Name
2-Furancarboxaldehyde, 5,5'-[2,5-thiophenediylbis[3-[(5-formyl-2-furanyl)ethynyl]-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
360549-97-9 CAPLUS

Chemical or Trade Name
2-Thiophenecarboxaldehyde, 5,5'-[2,5-thiophenediylbis[3-[(5-formyl-2-thienyl)ethynyl]-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
360549-98-0 CAPLUS

Chemical or Trade Name
Pyridine, 4,4'-[2,5-thiophenediylbis[3-(4-pyridinylethynyl)-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
610283-06-2 CAPLUS

Chemical or Trade Name
Benzene, 1,3-bis[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
610283-08-4 CAPLUS

Chemical or Trade Name
Benzene, 2-nitro-1,4-bis[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
610283-09-5 CAPLUS

Chemical or Trade Name
Naphthalene, 2,6-bis[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
610283-10-8 CAPLUS

Chemical or Trade Name
9H-Fluorene, 2,7-bis[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]-9,9-dipropyl- (CA INDEX NAME)



CAS Registry Number
610283-11-9 CAPLUS

Chemical or Trade Name
Anthracene, 9,10-bis[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
610283-12-0 CAPLUS

Chemical or Trade Name
Benzene, 1,4-dimethoxy-2,5-bis[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
610283-13-1 CAPLUS

Chemical or Trade Name
Benzene, 1,4-bis[1-methyl-4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]-
  (CA INDEX NAME)



OS.CITING REF COUNT: 49 THERE ARE 49 CAPLUS RECORDS THAT CITE THIS RECORD (49 CITINGS)

. L8 ANSWER 7 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2003:424686 CAPLUS Full-text

Document Number
139:150012

Title
Synthesis of Highly Fluorescent Y-Enyne Dendrimers with Four and Six Arms

Author/Inventor
Kaafarani, Bilal R.; Wex, Brigitte; Wang, Fei; Catanescu, Otilia; Chien, L. C.; Neckers, Douglas C.

Patent Assignee/Corporate Source
Center for Photochemical Sciences, Bowling Green State University, Bowling Green, OH, 43403, USA

Source
Journal of Organic Chemistry (**2003**), 68(13), 5377-5380 CODEN: JOCEAH; ISSN: 0022-3263

Document Type
Journal

Language
English

Abstract
A first generation of dendrimeric Y-enynes with extended flexible chains was synthesized using Sonogashira coupling. Dendrimers 9 and 10 are highly fluorescent in the solid state and in solution

Hit Structure

CAS Registry Number
569670-22-0 CAPLUS

Chemical or Trade Name
Benzene, 1,4-bis[4-[4-(dodecyloxy)phenyl]-2-[[4-(dodecyloxy)phenyl]ethynyl]-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
569670-23-1 CAPLUS

Chemical or Trade Name
Benzene, 1,3,5-tris[4-[4-(dodecyloxy)phenyl]-2-[[4-(dodecyloxy)phenyl]ethynyl]-1-buten-3-ynyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 2-A



OS.CITING REF COUNT: 17 THERE ARE 17 CAPLUS RECORDS THAT CITE THIS RECORD (17 CITINGS)

L8 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2003:234291 CAPLUS Full-text

Document Number
139:85055

Title
Acetylenic scaffolding on solid support: Poly(triacetylene)-derived oligomers by Sonogashira and Cadiot-Chodkiewicz-type cross-coupling reactions

Author/Inventor
Utesch, Nils F.; Diederich, Francois

Patent Assignee/Corporate Source
Laboratorium fur Organische Chemie, ETH-Honggerberg, HCI, Zurich, CH-8093, Switz.

Source
Organic & Biomolecular Chemistry (**2003**), 1(2), 237-239 CODEN: OBCRAK; ISSN: 1477-0520

Document Type
Journal

Language
English

Abstract
Synthesis of poly(triacetylene)-derived oligomers by Pd(0)-catalyzed Sonogashira and Cadiot-Chodkiewicz-type cross-coupling reactions on solid support is reported. Oligo(phenylene triacetylene)s, e.g., I[4-C6H4C.tplbond.CCR:CRC.tplbond.C]nSiMe3 (R = CH2OSiBut$Me2, n = 1, 2, 3, 4) members of a new class of linearly π-conjugated oligomers with all-C backbones, feature very high fluorescence intensities.

Hit Structure

CAS Registry Number
554459-63-1 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diyn]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-7-[(trimethylsilyl)ethynyl]-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-64-2 CAPLUS

Chemical or Trade Name
4,9-Dioxa-3,10-disiladodec-6-ene, 6-[[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(4-iodophenyl)-3-hexene-1,5-diyn]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn]phenyl]ethynyl]-7-[[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diyn]phenyl]ethynyl]-2,2,3,3,10,10,11,11-octamethyl-, (6E)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-72-2 CAPLUS

Chemical or Trade Name
Ethanol, 2-[3-[4-[(3E)-6-[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-1-ethyl-2-triazen-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
554459-73-3 CAPLUS

Chemical or Trade Name
Ethanol, 2-[3-[4-[(3E)-6-[4-[(3E)-6-[4-[(3E)-6-[4-[(3E)-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-6-(trimethylsilyl)-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-3,4-bis[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-3-hexene-1,5-diyn-1-yl]phenyl]-1-ethyl-2-triazen-1-yl]- (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



PAGE 1-C



OS.CITING REF COUNT: 19 THERE ARE 19 CAPLUS RECORDS THAT CITE THIS RECORD (19 CITINGS)

L8 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2001:714296 CAPLUS Full-text

Document Number
136:69640

Title
Synthesis and spectroscopic studies of expanded planar dehydrotribenzo[n]annulenes containing one or two isolated alkene units

Author/Inventor
Wan, W. Brad; Chiechi, Ryan C.; Weakley, Timothy J. R.; Haley, Michael M.

Patent Assignee/Corporate Source
Department of Chemistry and the Materials Science Institute, University of Oregon, Eugene, OR, 97403-1253, USA

Source
European Journal of Organic Chemistry (**2001**), (18), 3485-3490 CODEN: EJOCFK; ISSN: 1434-193X

Document Type
Journal

Language
English

Abstract
Dehydrobenzoannulene derivs. containing isolated alkene linkages, e.g., I, were synthesized by combining an in situ Pd/Cu-mediated cross-coupling with an intramol. cyclization strategy. 1H NMR studies of these macrocycles and comparison with related systems verify that highly alkynylated dehydrobenzoannulenes possess weak induced ring currents, indicative of aromatic (4n+2 π systems) and antiarom. (4n π systems) behavior, in spite of their large size and extensive benzannulation.

Hit Structure

CAS Registry Number
383404-38-4 CAPLUS

Chemical or Trade Name
Silane, [1,2-phenylenebis[(3E)-3-hexene-1,5-diyne-6,1-diyl-2,1-phenylene-2,1-ethynediyl]]bis[tris(1-methylethyl)- (9CI) (CA INDEX NAME)

PAGE 1-A





OS.CITING REF COUNT: 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS)

. L8 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2001:519766 CAPLUS Full-text

Document Number
135:243732

Title
Novel fluorophores: efficient synthesis and photophysical study

Author/Inventor
Hwang, Gil Tae; Son, Hyung Su; Ku, Ja Kang; Kim, Byeang Hyean

Patent Assignee/Corporate Source
Center for Integrated Molecular Systems Department of Chemistry Division of Molecular Life Science, Pohang University of Science and Technology, Pohang, 790-784, S. Korea

Source
Organic Letters (**2001**), 3(16), 2469-2471 CODEN: ORLEF7; ISSN: 1523-7060

Document Type
Journal

Language
English

Abstract
We have synthesized novel tetraacetylenic fluorophores by using Sonogashira reactions of 1,4-bis(dibromovinyl)benzene and 2,5-bis(dibromovinyl)thiophene with various aromatic bromides. The emission maxima of these fluorophores vary from the indigo blue to the reddish-orange region, depending on the structures of the aromatic nuclei and peripheral moieties.

Hit Structure

CAS Registry Number
360549-89-9 CAPLUS

Chemical or Trade Name
Benzene, 1,4-bis[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
360549-90-2 CAPLUS

Chemical or Trade Name
Thiophene, 2,2'-[1,4-phenylenebis[3-(2-thienylethynyl)-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
360549-91-3 CAPLUS

Chemical or Trade Name
2-Furancarboxaldehyde, 5,5'-[1,4-phenylenebis[3-[(5-formyl-2-furanyl)ethynyl]-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
360549-92-4 CAPLUS

Chemical or Trade Name
2-Thiophenecarboxaldehyde, 5,5'-[1,4-phenylenebis[3-[(5-formyl-2-thienyl)ethynyl]-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
360549-93-5 CAPLUS

Chemical or Trade Name
Pyridine, 4,4'-[1,4-phenylenebis[3-(4-pyridinylethynyl)-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
360549-94-6 CAPLUS

Chemical or Trade Name
Thiophene, 2,5-bis[4-phenyl-2-(2-phenylethynyl)-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
360549-95-7 CAPLUS

Chemical or Trade Name
Thiophene, 2,5-bis[4-(2-thienyl)-2-[2-(2-thienyl)ethynyl]-1-buten-3-yn-1-yl]- (CA INDEX NAME)



CAS Registry Number
360549-96-8 CAPLUS

Chemical or Trade Name
2-Furancarboxaldehyde, 5,5'-[2,5-thiophenediylbis[3-[(5-formyl-2-furanyl)ethynyl]-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
360549-97-9 CAPLUS

Chemical or Trade Name
2-Thiophenecarboxaldehyde, 5,5'-[2,5-thiophenediylbis[3-[(5-formyl-2-thienyl)ethynyl]-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



CAS Registry Number
360549-98-0 CAPLUS

Chemical or Trade Name
Pyridine, 4,4'-[2,5-thiophenediylbis[3-(4-pyridinylethynyl)-3-buten-1-yne-4,1-diyl]]bis- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 27 THERE ARE 27 CAPLUS RECORDS THAT CITE THIS RECORD (27 CITINGS)

L8 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1996:29553 CAPLUS Full-text

Document Number
124:260436

Title
Synthesis and reactions of new ethynyl-substituted 1,6-methano[10]annulenes

Author/Inventor
Bryant-Freidrich, Amanda; Neidlein, Richard

Patent Assignee/Corporate Source
Pharm.-Chem. Inst., Univ. Heidelberg, Heidelberg, D-69120, Germany

Source
Synthesis (**1995**), (12), 1506-10 CODEN: SYNTBF; ISSN: 0039-7881

Document Type
Journal

Language
English

Abstract
Stereospecific Pd(PPh3)4 catalyzed coupling of an acetylene to geminal dibromo-substituted alkenes yielded enynes, which upon dehydrohalogenation formed butadiynyl substituted 1,6-methano[10]annulenes I [R = (C.tplbond.C)2R3; R1 = R2 = H, R3 = Ph, CMe3; R1 = H, R = R2 = (C.tplbond.C)2Ph; R = R1 = (C.tplbond.C)2Ph, R2 = H].

Hit Structure

CAS Registry Number
175430-09-8 CAPLUS

Chemical or Trade Name
Bicyclo[4.4.1]undeca-1,3,5,7,9-pentaene,
2,7-bis(2-bromo-4-phenyl-1-buten-3-ynyl)-, (Z,Z)- (9CI) (CA INDEX NAME)



CAS Registry Number
175430-11-2 CAPLUS

Chemical or Trade Name
Bicyclo[4.4.1]undeca-1,3,5,7,9-pentaene,
2,10-bis(2-bromo-4-phenyl-1-buten-3-ynyl)-, (Z,Z)- (9CI) (CA INDEX NAME)



L8 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1994:192448 CAPLUS Full-text

Document Number
120:192448

Title
Synthesis of a series of conjugated enyne polythiophenes

Author/Inventor
Kane, James J.; Gao, Feng; Reinhardt, Bruce A.; Evers, Robert C.

Patent Assignee/Corporate Source
Chem. Dep., Wright State Univ., Dayton, OH, 45435-0001, USA

Source
Polymer Preprints (American Chemical Society, Division of Polymer Chemistry) (**1992**), 33(1), 1064-5 CODEN: ACPPAY; ISSN: 0032-3934

Document Type
Journal

Language
English

Abstract
The title polymers were prepared via polymerization of 3,4-didecyloxy-2,5-bis-(β-bromoethenyl)thiophene and aromatic diethynyl compds. Thermal and viscosity of the resulting thiophene-containing polyacetylenes are discussed.

Hit Structure

CAS Registry Number
153846-90-3 CAPLUS

Chemical or Trade Name

Thiophene, 3,4-bis(decyloxy)-2,5-bis(4-phenyl-1-buten-3-ynyl)-, (E,E)-
(9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD
(1 CITINGS)

L8 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1984:23114 CAPLUS Full-text

Document Number
100:23114

Title
Cis-Enyne aromatic and aromatic heterocyclic polymers

Author/Inventor
Reinhart, Bruce

Patent Assignee/Corporate Source
United States Dept. of the Air Force, USA

Source
U. S. Pat. Appl., 4 pp. Avail. NTIS Order No. PAT-APPL-6-399 661. CODEN: XAXXAV

Document Type
Patent

Language
English

Patent Information

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 399661	A0	19830304	US 1982-399661	19820719
US 4417039	A	19831122		

Abstract

Aromatic and aromatic heterocyclic enyne polymers having relatively low glass temps. for fabrication are prepared by treating 1,4-bis(cis-β-bromovinyl)benzene (I) [88248-70-8] with a diacetylenic compound The polymers exhibit high glass temps. and low solvent susceptibilities after heat treatment. Thus, a suspension of 40 g p-phenylenediacrylic acid [16323-43-6] in 300 g Br was stirred for 3 h to give β,β'-p-phenylenebis(α,β-dibromopropionic acid) (II) [88248-71-9]. A mixture of 21.5 g II and 20.0 g NaHCO3 in 500 mL acetone was refluxed for 72 h to give I. A mixture of 0.5 g I and 0.7658 g 4,4'-bis(3-ethynylphenoxy)diphenyl sulfone [63770-82-1] was dissolved in a solution of 3 mL Et3N and 3 mL N,N-dimethylacetamide (III). A mixture of 0.025 g CuI and 0.05 g (Ph3P)2PdCl2 was added. The mixture was stirred at room temperature for 70 h. Addnl. 10 mL III was added to give a polymer having glass temperature 143°. The polymer **[88249-72-3]** treated at 250° for 6 h had glass temperature >375° and was insol. in solvents.

Hit Structure

CAS Registry Number
88249-70-1 CAPLUS

Chemical or Trade Name
Poly(oxy-1,4-phenylenesulfonyl-1,4-phenyleneoxy-1,4-phenylene-3-buten-1-yne-1,4-diyl-1,4-phenylene-1-buten-3-yne-1,4-diyl-1,4-phenylene), (Z,Z)-
(9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
88249-71-2 CAPLUS

Chemical or Trade Name
Poly(oxy-1,4-phenylenecarbonyl-1,4-phenyleneoxy-1,3-phenylene-3-buten-1-yne-1,4-diyl-1,4-phenylene-1-buten-3-yne-1,4-diyl-1,3-phenylene), (Z,Z)-
(9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



CAS Registry Number
88249-72-3 CAPLUS

Chemical or Trade Name
Poly(oxy-1,4-phenylenesulfonyl-1,4-phenyleneoxy-1,3-phenylene-3-buten-1-yne-1,4-diyl-1,4-phenylene-1-buten-3-yne-1,4-diyl-1,3-phenylene), (Z,Z)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (4 CITINGS)

L8 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1981:175327 CAPLUS Full-text

Document Number
94:175327

Title
Reactions with phosphinealkylenes. XXXIX. New methods for the preparation of 1-bromoacetylenes and aromatic and conjugated enynes

Author/Inventor
Bestmann, Hans Juergen; Frey, Herbert

Patent Assignee/Corporate Source
Inst. Org. Chem., Univ. Erlangen-Nuernberg, Erlangen, D-8520, Fed. Rep. Ger.

Source
Liebigs Annalen der Chemie (**1980**), (12), 2061-71 CODEN: LACHDL; ISSN: 0170-2041

Document Type
Journal

Language
German

Abstract
Some of RCH:CBr2 (R = optionally substituted Ph, naphthyl, 9-anthryl, 2-thienyl, alkyl, cycloalkyl, MeCH:CMe, MeCH:CH, MeCH:CHCH:CH, Me2C:CHCH2CH2CMe:CH, retinyl, 2-furyl, PhCH:CH, PhCH:CMe), prepared in 23-85% yields from RCHO, PPh3 and CBr4, were dehydrobrominated with (PhCH2)Me3N+OH- to give 35-80% RC.tplbond.CBr (R = optionally substituted Ph, naphthyl, 9-anthryl, alkyl, cycloalkyl), which were treated with Ph3P+MeBr- and R1CHO [R1 = 4-O2NC6H4, 9-anthryl, 3,4-Cl2C6H3, 3,4,5-(MeO)3C6H2, piperonyl, nicotinyl, 2-furyl, PhCH:CH] to give 20-70% RC.tplbond.CCH:CHR1. Addnl. obtained were 28% I and 35% II.

Hit Structure

CAS Registry Number
77295-85-3 CAPLUS

Chemical or Trade Name
Benzene, 1,4-bis[4-(4-methylphenyl)-1-buten-3-ynyl]-, (E,E)- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 32 THERE ARE 32 CAPLUS RECORDS THAT CITE THIS RECORD (32 CITINGS)

=>





```
chain nodes :
1 2 3 4 5 6 7 9 14 15
chain bonds :
1-2 1-9 2-3 3-4 4-5 5-6 6-7 7-14 14-15
exact/norm bonds :
1-9 6-7 7-14 14-15
exact bonds :
1-2 2-3 3-4 4-5 5-6


G1:Cb,Cy,Hy

G2:C,H,Si,Cb,Cy,Hy

G3:C,O,S,N

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:Atom 9:Atom 14:CLASS 15:Atom



L9      STRUCTURE UPLOADED

=> s l9 sss full
FULL SEARCH INITIATED 12:59:31 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -    52774 TO ITERATE

100.0% PROCESSED    52774 ITERATIONS                          101 ANSWERS
SEARCH TIME: 00.00.01

L10         101 SEA SSS FUL L9

=> s l10
L11          30 L10

=> l11 and (py<=2004 or ay<=2004)
       25158915 PY<=2004
        5170681 AY<=2004
L12          13 L11 AND (PY<=2004 OR AY<=2004)

=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 13 ANSWERS - CONTINUE? Y/(N):y
```

L12 ANSWER 1 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2001:398954 CAPLUS Full-text

Document Number
135:164303

Title
Fluorescent fingerprinting of molecular recognition landscapes

Author/Inventor
Auer, Manfred; Graf, Christine; La Clair, James J.

Patent Assignee/Corporate Source
Allergic Diseases Unit Fluorescence based HTS-Technology Program, Novartis Forschungsinstitut GmbH, Vienna, 1235, Austria

Source
Angewandte Chemie, International Edition (**2001**), 40(10), 1889-1892 CODEN: ACIEF5; ISSN: 1433-7851

Document Type
Journal

Language
English

Abstract
The combination of a non-ridges fluorescence probe (SENSI) and three-dimensional fluorescence spectroscopy provides an efficient means to differentiate subtle structural attributes resulting from mol. interactions. This method was able to distinguish low-affinity protein-carbohydrate interactions. The ease and tech. simplicity of this method suggest a practical means to increase the reliability of affinity matrixes, and illustrate a potent tool for characterizing (or landscaping) a wide-range of biol. and chemical processes (e.g. drug screening, characterization of chemical purity, and resolution of mixture). As seen here, it is not the affinity but the "fingerprint" of mol. recognition which is vital in selecting compds. for cellular and in vivo testing and for establishing structure-activity relationships for follow up bioinformatics, mol. modeling, and /or rational drug design. Most importantly, this three-dimensional method provides a means to distinguish recognition events from stoichiometric effects.

Hit Structure

```
CAS Registry Number
353521-92-3  CAPLUS


Chemical or Trade Name
α-D-Mannopyranoside, 5-[(1E)-4-[4-(dimethylamino)phenyl]-1-buten-3-
ynyl]-2-nitrophenyl (9CI)  (CA INDEX NAME)
```



CAS Registry Number
193957-48-1 CAPLUS

Chemical or Trade Name
β-D-Glucopyranoside, 5-[(1E)-4-[4-(dimethylamino)phenyl]-1-buten-3-ynyl]-2-nitrophenyl (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

L12 ANSWER 2 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2000:890415 CAPLUS Full-text

Document Number
134:252506

Title
Cross-coupling reactions in Cinchona alkaloid chemistry: aryl-substituted and dimeric quinine, quinidine, as well as quincorine and quincoridine derivatives

Author/Inventor
Frackenpohl, Jens; Braje, Wilfried M.; Hoffmann, H. Martin R.

Patent Assignee/Corporate Source
Department of Organic Chemistry, Universitat Hannover, Hannover, D-30167, Germany

Source
Journal of the Chemical Society, Perkin Transactions 1 (**2001**), (1), 47-65 CODEN: JCSPCE; ISSN: 1472-7781

Document Type
Journal

Language
English

Abstract
Cross-coupling reactions of modified Cinchona alkaloids provide access to a wide variety of novel arylated and dimeric derivs. of quinine and quinidine containing a single and double 1,2-amino alc. functionality. Sonogashira and Heck reactions allow functionalization of ethynyl and 11-iodovinyl precursors. The role of bystander functionality is investigated.

Hit Structure

CAS Registry Number
331250-66-9 CAPLUS

Chemical or Trade Name
10,11-Dinorcinchonan-9-ol, 6'-methoxy-3-[(1Z)-4-phenyl-1-buten-3-ynyl]-, acetate (ester), (3β,9S)- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 23 THERE ARE 23 CAPLUS RECORDS THAT CITE THIS RECORD (23 CITINGS)

L12 ANSWER 3 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
2000:768991 CAPLUS Full-text

Document Number
133:331792

Title
Fluorescent dye
Author/Inventor
Laclair, James J.
Patent Assignee/Corporate Source
The Scripps Research Institute, USA
Source
U.S., 36 pp., Cont.-in-part of U.S. Ser. No. 17,518. CODEN: USXXAM
Document Type
Patent
Language
English
Patent Information

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6140041	A	20001031	US 1999-232356	19990115
US 5958673	A	19990928	US 1998-17518	19980202

Abstract
Fluorescent dyes possess reactive linkers for conjugating to nucleic acids, carbohydrates and peptides. The conjugates fluoresce in the visible and UV spectrum and have an excellent solvochromatic response as compared to other fluorescence or chromatic labels. The conjugates are stable but also have medium sensitive. The fluorescent dyes have little triplet state formation and are not photoreactive, making them an excellent substance for biol. investigations. Uses for the dyes include protein labeling, DNA labeling, single mol. spectroscopy and fluorescence. A synthesis of the dyes is disclosed. Methods of use include the detection of carbohydrate-protein interactions.
Hit Structure

CAS Registry Number
193957-48-1 CAPLUS

Chemical or Trade Name
β-D-Glucopyranoside, 5-[(1E)-4-[4-(dimethylamino)phenyl]-1-buten-3-ynyl]-2-nitrophenyl (9CI) (CA INDEX NAME)



CAS Registry Number
235793-03-0 CAPLUS

Chemical or Trade Name
β-D-Glucopyranoside, 5-[(1E)-4-[4-(dimethylamino)phenyl]-1-buten-3-ynyl]-2-nitrophenyl 4-O-α-D-glucopyranosyl- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 6 THERE ARE 6 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS)

L12 ANSWER 4 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
1999:686375 CAPLUS Full-text
Document Number
132:247772
Title
Screening hydrolysis over two-phases
Author/Inventor
Cotenescu, M.-G.; La Clair, J. J.
Patent Assignee/Corporate Source
Department of Molecular Biology, The Scripps Research Institute, La Jolla, CA, USA
Source
Journal of Biotechnology (1999), 76(1), 33-41 CODEN: JBITD4; ISSN: 0168-1656
Document Type
Journal
Language
English
Abstract
A new assay is described that monitors hydrolysis with the concurrent transfer of a solvatochromic dye across an oil-water barrier. Through the appropriate design, this transfer is accompanied by a 106 gain in fluorescence. This response can be used to effectively screen hydrolytic activity at high-throughput. Using this method, microunits of alkaline phosphatase, glucosidases, as well as several common proteases can be visually detected within an hour through concentration over a 200:1 volumetric ratio of aqueous to organic phases. Development of a water-solubilizing protecting group extends this methodol. to screen a wide range of processes that undergo cleavage of a covalent bond.
Hit Structure

CAS Registry Number
193957-48-1 CAPLUS

Chemical or Trade Name
β-D-Glucopyranoside, 5-[(1E)-4-[4-(dimethylamino)phenyl]-1-buten-3-ynyl]-2-nitrophenyl (9CI) (CA INDEX NAME)



CAS Registry Number
262856-71-3 CAPLUS

Chemical or Trade Name
α-D-Glucopyranoside, 5-[(1E)-4-[4-(dimethylamino)phenyl]-1-buten-3-ynyl]-2-nitrophenyl (9CI) (CA INDEX NAME)



CAS Registry Number
262856-72-4 CAPLUS

Chemical or Trade Name
β-D-Galactopyranoside, 5-[(1E)-4-[4-(dimethylamino)phenyl]-1-buten-3-ynyl]-2-nitrophenyl (9CI) (CA INDEX NAME)



. L12 ANSWER 5 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
1999:495343 CAPLUS Full-text
Document Number
131:145690
Title
Fluorescent dyes and conjugates, their preparation and use
Author/Inventor
Laclair, James J.
Patent Assignee/Corporate Source
Novartis A.-G., Switz.; Novartis-Erfindungen Verwaltungsgesellschaft m.b.H.; The Scripps Research Institute
Source
PCT Int. Appl., 66 pp. CODEN: PIXXD2
Document Type
Patent
Language
English
Patent Information

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9938919	A1	19990805	WO 1999-EP598	19990129
US 5958673	A	19990928	US 1998-17518	19980202
AU 9924253	A	19990816	AU 1999-24253	19990129

Abstract
The fluorescent dyes I [R1 = 4-R3-1-piperazinyl, NR4R5; R2, R3 = H, CO(CH2)nCO2R6, COR7; R4, R5 = C1-6 alkyl; R6 = C1-6 alkyl, succinimido; R7 = 1-imidazolyl, OCMe3; n = 1-4] possess reactive linkers for conjugating to nucleic acids, carbohydrates and peptides. The conjugates fluoresce in the visible and UV spectrum and show a greater solvatochromic response than other fluorescence or chromatic labels. The conjugates are stable but also medium sensitive. The fluorescent dyes have little triplet state formation and are not photoreactive, making them suitable for biol. investigations. Uses for the dyes include protein labeling, DNA labeling, single mol. spectroscopy and fluorescence. Thus, 3-hydroxy-4-nitrobenzaldehyde was reduced to the corresponding benzyl alc., converted to the bromide and then to the di-Et phosphonate, and treated with 4-R1C6H4C.tplbond.CCHO to give I (R2 = H).
Hit Structure

CAS Registry Number
193957-48-1 CAPLUS

Chemical or Trade Name
β-D-Glucopyranoside, 5-[(1E)-4-[4-(dimethylamino)phenyl]-1-buten-3-ynyl]-2-nitrophenyl (9CI) (CA INDEX NAME)



CAS Registry Number
235793-03-0 CAPLUS

Chemical or Trade Name
β-D-Glucopyranoside, 5-[(1E)-4-[4-(dimethylamino)phenyl]-1-buten-3-ynyl]-2-nitrophenyl 4-O-α-D-glucopyranosyl- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

. L12 ANSWER 6 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
1999:133455 CAPLUS Full-text
Document Number
130:210546
Title
The photoconductive composition containing a 1,4-diphenyl-1-butyn-3-ene derivative as electron donor
Author/Inventor
Chung, Bong-Mo; Suk, Min-Chul; Shim, Sang-Chul
Patent Assignee/Corporate Source
Samsung Electron Devices Co., Ltd., S. Korea
Source
Jpn. Kokai Tokkyo Koho, 11 pp. CODEN: JKXXAF
Document Type
Patent

Language
Japanese
Patent Information

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 11049968	A	19990223	JP 1998-160883	19980609
JP 2897985	B2	19990531		
US 5989766	A	19991123	US 1998-93058	19980608
CN 1221132	A	19990630	CN 1998-116092	19980717

Abstract
Photoconductive composition for photoconductive film having excellent sensitivity and thermal deposition property comprises a 1,4-diphenyl-1-butyn-3-ene derivative as electron donor, an electron acceptor, a charge-transfer compound, binder, a surfactant, and a solvent. Thus the interior panel of a cathode ray tube was coated with a conductive coating, then a photoconductive coating comprising 1,4-diphenyl-1-butyn-3-ene 25, 2,4-dinitroaniline 2.5, triphenylamine 25, polystyrene 250, silica 1000.1 and toluene 2595 g, followed by attaching green, red and blue fluorescent composition and IR heat melting to give a fluorescent tube.
Hit Structure

CAS Registry Number
220929-00-0 CAPLUS

Chemical or Trade Name
Benzenamine, N-phenyl-4-(4-phenyl-1-buten-3-yn-1-yl)- (CA INDEX NAME)



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

L12 ANSWER 7 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
1997:528726 CAPLUS Full-text
Document Number
127:176623
Title
Selective Detection of the Carbohydrate-Bound State of Concanavalin A at the Single Molecule Level
Author/Inventor
La Clair, James J.
Patent Assignee/Corporate Source
Department of Molecular Biology, Scripps Research Institute, La Jolla, CA, 92037, USA
Source
Journal of the American Chemical Society (1997), 119(33), 7676-7684 CODEN: JACSAT; ISSN: 0002-7863
Document Type
Journal
Language
English
Abstract
The labeling of mols. with charge-transfer dyes, such as dansyl chloride, is a powerful tool for examining the solvent shell of attached substances. This investigation describes the synthesis and application of a new charge transfer label based on (E,E)-4-O2NC6H4CH:CHCH:CHC6H4NMe2-4 (NND). Unlike many commonly used fluorophores, the quantum yield of NND decreases over 4 orders of magnitude upon changing from nonpolar to polar environments. In addition, several derivs. of NND undergo little photodecompn. and can be detected at the picomolar level in a confocal fluorescence correlation spectrometer. In conjunction with recent detection of single mols. in solution, this paper describes a method to discriminate between single free and carbohydrate-bound aggregates of the Jack Bean lectin, Con A. To this end, two NND derivs. were constructed possessing an addnl. functional handle. One derivative, alkenyne (E)-3,4-HO(NO2)C6H4CH:CHC.tplbond.CC6H4NMe2-4 (I), was efficiently attached to the β-anomeric position of glucopyranosides. Transients from single aggregates of this fluorophore were detected in solns. which contained both Con A and a maltoside conjugate of I, and not the corresponding glucoside conjugate of I. This result is in agreement with the known affinity of Con A for α-glucopyranosides and not β-glucopyranosides. A full description of the synthesis of these dyes, their solvochromatic properties, and the method used for single aggregate detection is provided.
Hit Structure

CAS Registry Number
193957-47-0 CAPLUS

Chemical or Trade Name
β-D-Glucopyranoside, 5-[(1E)-4-[4-(dimethylamino)phenyl]-1-buten-3-ynyl]-2-nitrophenyl 6-O-α-D-glucopyranosyl- (9CI) (CA INDEX NAME)



CAS Registry Number
193957-48-1 CAPLUS

Chemical or Trade Name
β-D-Glucopyranoside, 5-[(1E)-4-[4-(dimethylamino)phenyl]-1-buten-3-ynyl]-2-nitrophenyl (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 19 THERE ARE 19 CAPLUS RECORDS THAT CITE THIS RECORD (19 CITINGS)

L12 ANSWER 8 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1997:383287 CAPLUS Full-text

Document Number
127:109010

Title
Reactions of the phenyl-substituted five-membered titanacyclocumulene - unusual coupling of a 1,4-disubstituted 1,3-butadiyne with two titanium atoms

Author/Inventor
Burlakov, Vladimir V.; Peulecke, Normen; Baumann, Wolfgang; Spannenberg, Anke; Kempe, Rhett; Rosenthal, Uwe

Patent Assignee/Corporate Source
Arbeitsgruppe Komplexkatalyse of the Max-Planck-Gesellschaft at the University of Rostock, Buchbinderstr. 5-6, D-18055, Rostock, Germany

Source
Journal of Organometallic Chemistry (1997), 536/537(1-2), 293-297 CODEN: JORCAI; ISSN: 0022-328X

Document Type
Journal

Language
English

Abstract
The reaction of Cp2Ti(η2-Me3SiC2SiMe3) with equimolar amts. of PhC.tplbond.C-C.tplbond.CPh gives the unstable five-membered titanacyclocumulene I, which is stabilized by dimerization to yield the dinuclear complex II. In this reaction complex I shows an equilibrium and also behaves as a metallacyclocumulene and a metal alkyne complex. By the coupling of the internal double bond of the cyclocumulene with a complexed triple bond of the diyne, a complex with fused titanacyclopentadiene and titanacyclopentene is formed. With acetone and water complex I reacts like an alkyne complex to give the titanadihydrofuran III and the titanoxane IV. Complex II was investigated by an X-ray structural determination

Hit Structure

CAS Registry Number
192374-58-6 CAPLUS

Chemical or Trade Name
Titanium, tetrakis(η5-2,4-cyclopentadien-1-yl)(1,4-diphenyl-1-buten-3-ynyl)-μ-oxo[3-phenyl-1-(phenylmethylene)-2-propynyl]di-, (E,E)- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)

. L12 ANSWER 9 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
1981:157334 CAPLUS Full-text
Document Number
94:157334
Title
Synthesis and properties of conjugated enyne polysulfones
Author/Inventor
Reinhardt, Bruce A.; Arnold, Fred E.
Patent Assignee/Corporate Source
Nonmetallic Mater. Div., Air Force Mater. Lab., Wright-Patterson Air Force Base, OH, 45433, USA
Source
Journal of Polymer Science, Polymer Chemistry Edition (**1981**), 19(2), 271-85 CODEN: JPLCAT; ISSN: 0360-6376
Document Type
Journal
Language
English
Abstract
High-mol.-weight polysulfones containing 1,3-enyne linkages were prepared from K salts of (E)-1,4-bis(3-hydroxyphenyl)-1-buten-3-yne [76410-52-1] and 4,4'-dihydroxybiphenyl with bis(4-halophenyl) sulfones in DMSO-sulfolane. The polymers were soluble in CH2Cl2 and had intrinsic viscosities ≤0.74 (AcNMe2, 30°) and glass transition temps. 179-214°. Thermal anal. of cured films and of products of thermal reactions of model compds. indicated that the primary curing reaction was intermol. rather than the expected intramol. cycloaddn. to naphthalene derivs. The enyne polysulfones are suitable for use in high-temperature composites.
Hit Structure

CAS Registry Number
77214-78-9 CAPLUS

Chemical or Trade Name
Benzene, 1,1'-(1-buten-3-yne-1,4-diyl)bis[3-phenoxy-, (E)- (9CI) (CA INDEX NAME)



OS.CITING REF COUNT: 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (4 CITINGS)

L12 ANSWER 10 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN
Accession Number
1979:557429 CAPLUS Full-text
Document Number
91:157429
Title
Aromatic enyne compounds
Author/Inventor
Arnold, Fred E.; et al.
Patent Assignee/Corporate Source
United States Dept. of the Air Force, USA
Source
U. S. Pat. Appl., 14 pp. Avail. NTIS. CODEN: XAXXAV
Document Type
Patent
Language
English
Patent Information

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 946290	A0	19790427	US 1978-946290	19780927
US 4162265	A	19790724	US 1978-946290	19780927

Abstract
RC6H4CH:CHC.tplbond.CC6H4R (I, R = OH, NH2, 4-PhCOCOC6H4O or other functional group suitable for polycondensation reactions), useful as monomers for thermal polymerization (no data), were prepared by catalytic coupling of RC6H4C.tplbond.CH. Thus, 3-H2NC6H4C.tplbond.CH was acetylated, coupled by refluxing 12 h with AcOCu in AcOH, then deacetylated by refluxing 1 h in 28% aqueous EtOH to give I (R = 3-NH2).
Hit Structure

CAS Registry Number
70933-63-0 CAPLUS

Chemical or Trade Name
Ethanedione, 1,1'-[1-buten-3-yne-1,4-diylbis(3,1-phenyleneoxy-4,1-phenylene)]bis[2-phenyl- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



L12 ANSWER 11 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1979:523539 CAPLUS Full-text

Document Number
91:123539

Title
Aromatic enyne compounds and their synthesis

Author/Inventor
Arnold, Fred E.; Reinhardt, Bruce A.; Hedberg, Frederick L.

Patent Assignee/Corporate Source
United States Dept. of the Air Force, USA

Source
U.S., 5 pp. CODEN: USXXAM

Document Type
Patent

Language
English

Patent Information

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4162265	A	19790724	US 1978-946290	19780927
US 946290	A0	19790427	US 1978-946290	19780927

Abstract
Diphenylbutenynes I (R = NH2, OH, OC6H4COCOPh), useful as monomers, were prepared from the resp. RC6H4C.tplbond.CH. Thus, 3-(AcNH)C6H4C.tplbond.CH in HOAc containing CuOAc was heated and the product was deacetylated to yield I (R = 3-NH2).

Hit Structure

CAS Registry Number
70933-63-0 CAPLUS

Chemical or Trade Name
Ethanedione, 1,1'-[1-buten-3-yne-1,4-diylbis(3,1-phenyleneoxy-4,1-phenylene)]bis[2-phenyl- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)

L12 ANSWER 12 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1977:440101 CAPLUS Full-text

Document Number
87:40101

Title
Thermosetting acetylene-terminated poly(phenylquinoxalines)

Author/Inventor
Kovar, Robert F.; Ehlers, Gerhard F. L.; Arnold, Fred E.

Patent Assignee/Corporate Source
Res. Inst., Univ. Dayton, Dayton, OH, USA

Source
Journal of Polymer Science, Polymer Chemistry Edition (1977), 15(5), 1081-95 CODEN: JPLCAT; ISSN: 0360-6376

Document Type
Journal

Language
English

Abstract

[3-(3,4-Diaminophenoxy)phenyl]acetylene [58297-25-9]-terminated oligomeric poly(phenylquinoxalines) were soluble (20-30%) in low-boiling organic solvents and exhibited a high degree of flow at their softening temps. Thermal anal. data obtained on the oligomers indicated initial softening at .apprx.160 and a strong polymerization exotherm reaching a maximum at 274°. Cured polymers (8 h, 280°) exhibited glass-transition temps. at .apprx.320°. Mass spectrometry-thermogravimetry of the polymers showed that no volatiles were emitted during curing and that decomposition of the resins began at 465°.

Hit Structure

CAS Registry Number
63389-28-6 CAPLUS

Chemical or Trade Name
Quinoxaline, 6,6'-[1-buten-3-yne-1,4-diylbis(3,1-phenyleneoxy)]bis[2,3-diphenyl- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B



OS.CITING REF COUNT: 20 THERE ARE 20 CAPLUS RECORDS THAT CITE THIS RECORD (20 CITINGS)

. L12 ANSWER 13 OF 13 CAPLUS COPYRIGHT 2010 ACS on STN

Accession Number
1962:79498 CAPLUS Full-text

Document Number
56:79498

Title
Possible use of betaine-like methylenetriphenylphosphoranes as reagents for characterization of aldehydes. II. Preparation of characteristic derivatives

Author/Inventor
Simalty-Siemiatycki, Michel; Malbec, Francoise; Carretto, Josette

Patent Assignee/Corporate Source
Fac. Sci., Paris

Source
Bulletin de la Societe Chimique de France (**1962**) 129-31 CODEN: BSCFAS; ISSN: 0037-8968

Document Type
Journal

Language
Unavailable

Abstract
For the preparation of characteristic derivs. of aldehydes, the use of excess reagent, absolute alc. as solvent, and NaOEt as base is recommended. In some cases dilution of the alc. up to 50% with H2O is necessary. For differentiation of aldehydes from ketones, alc. containing 5-10% H2O is used as solvent. Derivs. prepared from II are preferred since they are less soluble and have higher m.p. than those prepared from I. Acrolein and α-ethylacrolein gave oils. The bisulfite addition product of glyoxal was used, with excess NaOEt to neutralize the bisulfite; even with less reagent than that corresponding to 1 CHO group, a disubstituted derivative was obtained. The stereochem. configuration of the derivs. was determined by infrared and Raman spectra. The following derivs. of I and II were prepared [aldehyde, reagent, m.p., and color (if other than white) given]: (CH2O)3, I, 89.5°; (CH2O)3, II, 132.5°; IV, II, 105-6°; V, II, 115-18°; C6H13CHO, I, 103.5°; XVI, II, 164-6°, pale yellow; VII, II, 179-81°; (OHC)2, II, (disubstituted derivs.) trans-trans 313°, cis-cis 300°, both yellow; HO2CCHO, II, 159°; VIII, II, trans 142-3°, pale yellow; X, II, 169-71°; III, I, 211-12°, pale green; III, II, 239-40°, pale green; XI, II, 210-11°; Ph2C:CHCHO, II, 202.5°; 9-fluorenylideneacetaldehyde, II, 218°, yellow; MePhC:CHCH:CHCHO, II, 167°, yellow; XII, II, 233-3.5°; XIII, II, 188.5°; XIV, I, 159°; XV, II, 252°; o-PhC6H4CHO (XVII), I, 182.5°; XVII, II, 174°; p-MeOC6H4CHO, II, 228.5°; piperonal, II, 205-6°; m-O2NC6H4CHO, II, trans 188-9°, cis 112-13°, both yellow; p-O2NC6H4CHO, II, 232.5°, yellow; p-Me2NC6H4CHO, II, 295°, yellow; furfural, II, 237°; 2-thiophenecarboxaldehyde, II, 241°, yellow; 5-nitro-2-thiophenecarboxaldehyde, II, 278°, yellow-green.

Hit Structure

CAS Registry Number
96065-74-6 CAPLUS

Chemical or Trade Name
Benzene, 1-[(4-bromophenyl)sulfonyl]-4-(4-phenyl-1-buten-3-yn-1-yl)- (CA INDEX NAME)



=>

---Logging off of STN---

=>
Executing the logoff script...